



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>



H617.8

B79

Homeopathic Therapeutics of the Ear

BY

CHARLES C. BOYLE, M. D., O. et A. Chir.

Surgeon to the New York Ophthalmic Hospital,
Professor of Ophthalmic and Aural Diseases in the
College of the New York Ophthalmic Hospital,
Oculist and Aurist to the Metropolitan Hospital,
Blackwell's Island, N. Y., Oculist and Aurist on
the Associate Clinical Staff of the New York
Homeopathic Medical College, Member of the
American Institute of Homeopathy, Member of
the Homeopathic Medical Society of the State of
New York, Member of the Homeopathic Society
of the County of New York, Member of the
Academy of Pathological Science

1905

A. L. CHATTERTON & CO.

NEW YORK

J9.14.05

This book is respectfully dedicated to the memory of the late Henry C. Houghton, M. D., who was the pioneer in the homeopathic treatment of diseases of the ear.

137222

PREFACE

In preparing this work, the material has been gathered from all available sources and the author has had in mind the desirability of having the subject so presented that the book can be readily used as a reference work. The first part consists of the symptoms pertaining to the ear, arranged under the different remedies, followed by the general indications of the drug, with aggravations and ameliorations.

The second part is a repertorial cross index, which I consider the most valuable feature of the book, enabling one to more readily find the symptoms sought for. It is a repertory of the symptoms contained in this book only. I realize that the work is but a commencement in the right direction, to be enlarged upon later, either by myself or those that follow.

49 WEST THIRTY-SEVENTH STREET,
NEW YORK CITY.

HOMEOPATHIC THERAPEUTICS OF THE EAR

Aconite.

Averse to noises: (Bell. Lyc Mur. ac) particularly music (Ambra Phos. ac). Intolerable roaring in ears: humming, ringing (China. Bell. Lyc). Pains in right ear (Ac. Aur. Bell. Colch. Hep. Lyc. Graph.) Stinging in ear, meatus red and narrow. External ear hot, red, and swollen (Bell. Apis). Pain, aggravated by draught of cold air. Neuralgia of ear and surrounding parts. Inflammation of ears, external and internal, with fever, and excruciating pains. Tearing pains in ears with a tickling sensation as of a worm alive in the ear.

General Indications: The leading expression of Aconite is a feverish, nervous restlessness, fear of death. Bad effects from **dry**, cold air, from suppressed perspiration, from excitement, from anxiety, fright, anger, chagrin. Sensitive to light and noise; fullness and heaviness of head and brain; face bloated, red, and hot. Especially applicable to plethoric persons or

those leading sedentary lives; dark hair and eyes; persons with rigid fiber.

Aggravations: In the evening and night, when lying on the (left) side or back; after getting in bed; when rising; in warm room; from tobacco smoke.

Amelioration: In the open air; from wine; generally better at rest; but during night in bed pains insupportable.

Aesculus Hip.

Ringling in right ear. Shooting pain. Burning in ears: pressure: fullness. Shooting pain in left ear, later in right ear.

General Indications: Suitable in persons with hemorrhoidal tendency, and who suffer with gastric, bilious or catarrhal troubles.

Aggravation: In morning and from motion; walking; breathing deeply; after eating; from swallowing.

Aethusia.

Stitches in the ears, especially in the right. Sensation as if something hot was streaming from it. Yellow discharge from the right ear, with stitching pain.

General Indications: Great weakness; children cannot stand; cannot hold up their heads. Diseases of children during dentition. Indicated in summer.

Aggravation: Mornings; at night; after meals; on rising from seat, from nursing.

Amelioration: In open air, after sleep, from bending backward, from motion.

Agaricus.

Hearing very acute. Deafness, cracking in ears on swallowing. Jumping of the tensor tympani. Sounds in ear like a valve. Twitching, rattling, fluttering in tympanic cavity. Stitching and tearing in ears. Excessive secretion of wax. *Redness, burning, itching, of the ears as if frostbitten.* Bubbling and roaring in ears, like teakettle boiling. Roaring and cracking on swallowing. Whirring, humming at night like a spinning wheel.

General Indications: Violent muscular twitching. Burning, itching and redness of various parts, as if frostbitten. Applicable more in persons with light hair, and lax skin and muscles; in old people with indolent circulation; chilblains; frost bites.

Aggravations: In mornings, after eating, in cold air, before thunderstorms.

Amelioration: Symptoms generally better from motion; walking.

Agnus Cast.

Ringings and roaring in ears. Hardness of hearing.

General Indications: In lymphatic constitutions. Especially useful in premature old age, from abuse of sexual powers, marked by melancholy, apathy, general debility. In atonic conditions of the sexual powers. Extreme absence of mind; unable to recollect things.

Ailanthus.

Pain in the ear when swallowing. The ear, when touched or scratched, gets red all over. Parotid gland sensitive and enlarged.

General Indications: In affections of skin, eruptions similar to eruptive fevers. Especially useful in women and children, in nervous, sensitive persons. Eruptions of miliary rash in patches of dark almost livid color; eruption disappears on pressure returning very slowly.

Aggravations: Generally in the morning.

Aletris.

Ears feel as if open through from one to the other. Deaf in left ear. Stuffed feeling.

General Indications: Chlorotic girls and pregnant women, weak emaciated people.

Allium Sat.

Deafness in left ear (catarrhal); hardened crusts in outer canal.

General Indications: Fleshy old people. Catarrhal conditions.

Aggravations: Complaints from bad weather.

Alumen.

Hears every little noise in sleep. Purulent otorrhea.

Alumina.

Buzzing as if outside of ear. Humming, roaring, whistling; sounds as of large bells. Redness and heat of one ear. Sensation as if something lays before ear on blowing nose, opens on swallowing. Purulent otorrhea. Crepitation in the ears on swallowing or chewing. Chronic suppuration, middle ear filled with granulations. Granulations bleed, and discharge is very offensive.

General Indications: Lack of secretion of the mucous membranes; extreme dryness, with more or less irritation. Suitable to persons of a scrofulous habit who suffer from chronic diseases; chronic catarrh of the head.

Aggravation: In morning on awaking; evening; in winter on alternate days; taking cold food.

Amelioration: In open air; from cold washing; while eating warm food.

Ambra.

Roaring and whistling in ears in afternoon. Deafness, crackling in the left ear. Tearing in right ear. Crawling, itching, and tickling in ears. Music brings on congestion of the head.

General Indications: In nervous and hysterical diseases. In old people, nervous persons, infants or young girls.

Aggravations: From warm drinks; in warm room; from lying down; from music.

Amelioration: After eating, from cold air, from cold food and drinks.

Am. Carb.

Hard hearing. Ear itches and discharges pus.

Am. Mur.

Deafness; tinnitus of a roaring character, thundering noises, feeling as if ear were stuffed full of wax. Accumulation of mucus in ear, with crackling and bubbling in ears.

General Indications: Affection of air passages. Scrofulous subjects.

Aggravations: In the morning, evening, and night; during and after eating; in open air, in bad stormy weather (Dulc. Rhod. Rhus).

Amelioration: Warm, dry weather, indoors, from pressure.

Amyl Nit.

Throbbing in ears, bursting sensation, as if membrane would be forced out with each beat of the heart. Burning of ear.

General Indications: Intense surging of blood

to the head and face. Dilatation of arteries and capillaries, with rapid tumultuous action of heart.

Anacardium.

Speaks of a devil who whispers blasphemy into his ear. Pain in the ear as from ulceration, when biting teeth together. Hardness of hearing. Humming in ears. Stopped feeling in meatus. Cramp-like in left meatus, with pressure against tympanum. Painful drawing in left meatus. External otitis in furuncle.

General Indications: In various nervous disorders. Hallucinations, insanity. Pressing penetrating pain, as from a plug in different parts. Sensation of a hoop or band around the the part.

Aggravations: In morning and from evening to midnight, from rising up.

Amelioration: After midnight, during day, from lying down, from rubbing.

Anagallis.

Tickling and itching in left ear. Pain in the right ear, as if the meatus was obstructed. Violent stitches in the right ear.

Ant. Crud.

Moist eruption on external ear, and behind it. Scrofulous otorrhea. Otitis media catarrhals chronica. Heat and tension in the ear, aggra-

vated by heat. Otorrhea. Pain in ears; ringing and roaring; drawing through right ear and eustachian tube; redness, burning and swelling of left ear.

General Indications: A thick milky white coating on the tongue. Affections of the mucous membranes. Catarrhal conditions. Skin diseases, when have pustules or pocks; eczema.

Aggravations: In morning, evening, and night, after eating, wine, bathing, and from touch.

Amelioration: During rest; in open air.

Apis.

Sensitiveness to noises; noise frightens from sleep; hardness of hearing; otitis after scarlet fever; redness and swelling of ears; violent pain in left ear when chewing; shooting and burning in ears; erysipelas of ears.

General Indications: Acute edema of skin and mucous membranes; great drowsiness; burning, stinging pains like bee stings; feeling of lassitude and trembling.

Aggravations: In morning, from warmth.

Amelioration: Cold water.

Argent. Met.

Vertigo and buzzing in ears, with heat. Corrosive itching; scratching until it bleeds; itching, warmth and formication of the concha: when chewing cutting sensation into eustachian tube.

General Indications: Affections of mucous membrane and cartilages.

Aggravations: Symptoms are renewed at noon; on being touched; lying on back; ailments from abuse of mercury.

Argent. Nit.

Deafness. Stitches from right into left ear; fullness and ringing in ears; tearing pain in ears; otalgia; chronic catarrh of the ear.

General Indications: General debility of limbs and trembling; in affections of mucous membranes; in chronic affections of brain and nervous system.

Aggravations: At night, in morning, from warmth, from cold food, walking or riding, after eating.

Amelioration: From fresh air, from eructations.

Arnica.

Noises in the ear, caused by rush of blood to head; great sensitiveness to sounds; buzzing and humming before ears, with deafness; deafness from concussion; bruised pain in ears; suppurating otitis, with stupor; after suppuration of internal ears; swelling of parotid gland; Menière's disease, with vertigo (inclined to fall to the left).

General Indications: A bruised, sore feeling. Bad effects from injuries; falls; bruises.

Aggravation: In morning; at rest; lying down; from wine.

Amelioration: In evening and at night; from motion.

Arsenicum.

Sensitive to sound; ringing; roaring; humming; aggravated by warm, relieved by open, room; deafness; parotitis; stitching pains in left meatus (kal. bi.) at night from within, out; profuse ichorous; cadaverous smelling discharge from ear; rash and heat about ears; skin within the ear becomes raw and burning; eczema of the auricle.

General Indications: Inflammation of mucous membranes; cutaneous affections, nervous affection; anxious; restlessness; rapid emaciation; anxiety; fear of death; exhaustion; fretful; burning pain.

Aggravations: At night, especially after midnight; from cold in general, cold food, cold drinks; from lying head low.

Amelioration: From warmth in general, lying with head high; from motion.

Ars. Iod.

Pain in ears from riding in cold wind; otitis, with fetid corrosive discharge; hypertrophied condition of the opening of the eustachian tube, and increasing deafness.

• • • • •
• • • • •
• • • • •

General Indications: In strumous or psoric diathesis, in conjunction with arsenic symptoms.

Arundo.

Burning and itching in canals of ears. Inflammation commences with shooting pains, and finally discharge of blood; purulent discharge from ears.

General Indications: Affections of mucous membranes, eyes, ears, nose, and throat; acute and chronic catarrhs; sensations as from insects crawling over body.

Asafetida.

Deafness, with offensive discharge; diseased bone; faintness, brought on by noises.

General Indications: In syphilitic patients who have taken much mercury; in nervous, hysterical subjects; scrofulous individuals.

Aggravations: Most symptoms while sitting.

Amelioration: In open air; from motion.

Asarum.

Over-sensitiveness; scratching of linen or silk unbearable; roaring in ears; sensation as if ears were plugged up; deafness; sensation as if skin was stretched over ear; pressure and tension in region of meatus.

General Indications: Nervous, anxious people; excessive sensibility of all the nerves; feeling of

lightness of all the limbs; feels as if floating in air.

Aurum Met.

Humming, buzzing and rushing in ears; over sensitive to noises, but music relieves; caries of mastoid; boring pain behind left ear, fetid otorrhea, especially with caries; parotid swollen and painful.

General Indications: Affection of osseous and glandular system, resulting from a syphilitic, mercurial or scrofulous disease; marked despondency, with suicidal tendency; over sensitive to all pains; boring in the bones; caries, especially after mercury; caries of mastoid.

Aggravation: In morning; on getting cold; while reposing.

Amelioration: From motion; while walking; on getting warm.

Badiago.

Slight shocks in ears like distant artillery in the afternoon and evening.

General Indications: Scrofulous constitution; lesions, and pains after concussion or contusion; adenitis; induration of cellular tissue.

Baptisia.

Delirium, with deafness; deafness in typhus; soreness of right ear, running down the neck; roaring in the ears, with mental confusion.

General Indications: In typhoid conditions; ulceration of mucous membranes; delirious stupor; prostration.

Baryta Carb.

Buzzing and ringing in ears; sounds in ear, echoes, crackings, reports, reverberations; reverberation in ears on blowing nose; roaring like the sea; cracking in the ears when sneezing, swallowing, or walking fast; deafness; drawing and twinging pain in ears; tearing, with boring and drawing in bones in front of right ear; violent throbbing in left ear; itching in ears; eruption in and behind ears; right parotid swollen, and painful to touch; scrofulous ear diseases; *glands below right ear swollen and painful to touch*; knotty swellings behind ears; parotitis after scarlet fever; deafness due to impairment of auditory nerve, especially in old people; suppuration of ear, especially in connection with suppurating tonsils.

General Condition: Affection of glands, throat; induration of tonsils; premature senility; general paralysis of old people; scrofulous children; left side most affected.

Aggravation: In morning; while sitting; while thinking of symptoms; from moisture or washing the parts.

Amelioration: When walking in open air.

Baryta Mur.

Pains in ears when blowing nose and swallowing; catarrh of ears; discharge like rotten cheese; otorrhea after frequent otitis; post-scarlatinal otorrhea; abscess behind both ears; offensive pus; parotitis; deafness in children with enlarged tonsils and adenoids; especially useful in children and old people; atrophy and abnormal patency of the eustachian tube.

Belladonna.

Extreme sensitiveness of hearing to loud tones (Ac. China); roaring, ringing or noises in ears; loss of hearing; acute thrusts of pain in internal and external ear; soreness extending from throat to ear; tearing in right external ear and side of face; tearing downward in middle and external ear; acute inflammation of the ears, terrific pain, rolling of the head, screaming, acute inflammation of the parotid; shooting pains; otalgia; acute inflammation of the ears; otitis; child screams in sleep; inflammation threatens to extend to meninges.

General Indications: Flushed face, throbbing carotids, the hard, full-bounding pulse, wild delirium; sudden appearance and disappearance of symptoms; over excitability of all the senses; cannot bear to be touched; sensitiveness of skin to touch; starts as in a fright from sleep; sleep

with moaning and tossing about. In tonsillitis. Pharyngitis. Otitis.

Aggravation: After 3 P. M., and after midnight; on moving; from touch; from draught of air; from sudden changes from warm to cold weather; hot weather; from heat of sun.

Amelioration: When wrapped up well in a warm room.

Benzoic Acid.

Sensation in ears like a sound of confused voices; worst when swallowing and walking in the open air; throbbing and hissing in ears, synchronous with beats of heart; swelling behind ears.

General Indications: Especially adapted to rheumatic or gouty subjects; in syphilitic or gonorrheal patients; in cases where urine has a very strong odor; deep, red, wine color.

Berberis.

Gouty concretions in the auricle; very painful, with tearing, stinging pain; shooting pain behind right ears aggravated every evening; tearing and stitches in ears, as from a nail or a string; stopped up feeling in ear, with pressure; beating and fluttering noise in ear.

General Indications: In arthritic and rheumatic affections, particularly with urinary complaints;

gall stones; vesical calculi; bilious and gastrointestinal derangements.

Borax.

Very sensitive to the slightest noise; left ear particularly affected in ear troubles; discharge from ears; smacking sensation, as if ear opened and closed, while it contained a thick paste; deafness, with tinnitus and discharge; roaring, crackling in ears.

General Indications: In affection of mucous membranes; great fear of downward motion.

Bovista.

Thick oozing scurf on ears; discharge of fetid pus from ears (Am. Hep.s Graph. Psor.); deafness; boil in right ear, with pain when swallowing.

Bromium.

Hard swelling of the left parotid gland, feeling warm to touch; suppuration of left parotid.

Bryonia.

Discharge of blood from ear; vicarious menstruation; feeling as if stoppage in ears; otorrhea; roaring, rumbling like water over a dam; intolerance of noise; swelling, redness, painful sensitiveness and heat of external right ear, accompanied by swelling and painfulness of right parotid; boil in front of ear.

General Indications: Stitching, tearing pains; rheumatic affections; complaints from exposure to heat of fire; from warm weather; affections of serous and mucous membranes; patient morose, ill-humored.

Aggravations: Mornings and evenings; from motion, from heat, from warm food, after eating, from coughing.

Amelioration: In cold weather; in cold room, from cold food, while sitting, while lying, especially on painful side.

Bufo.

Beating of heart, reverberates in ears; otorrhea; purulent ulceration and bleeding of external ears; pains aggravated by cold water washing; least noise is disagreeable; music unbearable.

General Indications: Tendency of wounds to suppurate, with throbbing, lancinating pains.

Cactus Grand.

Singing or ringing in ears; pulsation and buzzing in ears; otitis from checked perspiration; rheumatic otitis; hardness of hearing from congestion; noise in ears like running water; otitis from checked perspiration.

General Indications: Constrictive sensation in various parts of the body, especially in region of heart.

Aggravation: Worse from sounds, even talking.

Caladium.

Extremely sensitive to noises (Ac. Bell. China.), especially if wishing to sleep; sensation of something before ear.

General Indications: Hyperesthesia of senses.

Calc. Carb.

Sensitive to shrill sounds; noise; deafness; cracking in ears when swallowing; ringing in ears; roaring; deafness after quinine; deafness, and on shaking head, singing and roaring; pain in ear; earache, aggravated by blowing nose; dryness or copious cerumen; inflammation and swelling of outer and inner ear; discharge from ear; ulcerations, offensive discharge, granulations, polypus; tickling in right eustachian tube; stitches extending from throat to ear; singing and crackling in ears; deafness from eustachian catarrh; cracking in ear when chewing or swallowing (Nit. ac. Nat. m). Damp, moist eruption behind ears; parotitis; swelling in front of ear sore to touch; suppuration of parotid; discharge from ear bland-yellow, not very offensive; deafness from working in water; scrofulous inflammation of the ear, with muco-purulent discharge; enlarged glands, etc.; chronic inflammation of ear, with thickening of the drum.

General Indications: In scrofula, tubercular, and rachitic affections in general; fair, plump children; leuco-phlegmatic temperament; diseases of bones, glands, and skin; profuse sweat from slightest exertion; children large heads; affections from working in water.

Aggravations: Mornings, evening or after midnight; from cold and cold air.

Amelioration: In dry weather.

Calc. Fluor.

Calcareous deposits on tympani; mastoid disease when periosteum is affected.

General Indications: Osseous growths, nodes and swelling on bones; great depression.

Aggravation: Worse in damp weather.

Amelioration: By fomentations and rubbing.

Calc. Phos.

Deafness; excoriating discharge from ears; cold feeling, or coldness of ears, followed by throbbing heat; all bones around ears ache and hurt; earache, with rheumatic complaints, associated with swollen glands of children.

General Indications: In defective nutrition; imperfect cell development; disease of bones and glands in strumous subjects. Forgetfulness, impaired memory; mental anxiety with all troubles; children peevish and fretful; after grief, vexation and disappointment.

Aggravation: Mornings, evenings, from motion, cold, after eating, from change of weather, from getting wet in rain.

Amelioration: After lying down.

Calc. Picrate.

Inflammation in the ear; repeated attacks of boils.

Calc. Sulph.

Deafness, with discharge of matter from the middle ear, sometimes mixed with blood; pimples around ear.

General Indications: Cuts, wounds, bruises, boils; discharging pus; do not heal readily; in yellow purulent crusts or discharges; purulent sores and suppurations; follows silic. kali. mur. and bell.

Aggravation: After working or washing in water.

Camphor.

Singing, ringing, roaring in ears; stitches from a draught of air; yellow blisters around ear; congestion of ears; ear lobe hot and red.

General Indications: In coryza, influenza; great prostration.

Aggravation: At night; in the dark; from motion, from cold or cold air.

Amelioration: In open air.

Cannabis Ind.

Throbbing and fullness in ear; buzzing and ringing; noise like boiling water. Music intensely agreeable; hearing very acute.

Cantharis.

Ringling, humming, or roaring in ears; tearing in right ear and mastoid.

General Indications: Weakness, prostration, faintness; over-sensitiveness of all parts; urinary troubles; inflammation of mucous membranes.

Capsicum.

Cannot hear noises; dull hearing; catarrhal deafness; a pressive pain in ear after every cough, as if abscess would open; tympanum perforated; yellow pus; ears very hot; aching deep in ears; swelling over the mastoid, red, shiny, and tender; periostitis of mastoid; tearing pain behind ear, swelling and painful to touch; periostitis and caries of mastoid; pain deep-seated; supuration of middle with mastoiditis; great tenderness of mastoid to touch.

General Indications: Intense burning and smarting, as if from cayenne pepper; affections of mucous membrane, especially urinary tract and alimentary canal; vital power exhausted; in mastoid disease.

Aggravation: Morning on waking; evening after eating; after drinking; from cold.

Amelioration: From warmth and from continued motion.

Carbo An.

Hearing weak and confused. Cannot tell direction of sound. Ringing in ears when blowing nose. Ichorous otorrhea. Parotitis. Periostitis behind ears.

General Indications: Enlargements, indurations and ulcerations of glands. Useful in scrofulous conditions. Weakness and want of energy. Offensive debilitating night sweats.

Aggravation: Mostly in morning and evening. From cold. From open air.

Carbo Veg.

Something heavy seems to lie before ears; Seems stopped up. Heat and redness of left ear every evening. Ringing in ears, buzzing. Promotes secretion of wax. Otitis externa diffusa with dry eruption. May be moist, yellow and fetid. Itching and heat deep in ear. Deafness after acute exanthema or abuse of mercury. Ears too dry. Discharge of pus. Ears feel stopped up. Deficient or badly smelling cerumen. Roaring and ringing of ears. Offensive otorrhea. Left ear hot and red every evening. Parotitis.

General Indications: Ailments from quinine.

Ailments from abuse of mercury. In persons whose vital powers are low, especially old people; children after exhausting diseases.

Aggravation: Morning; evening; night. Debility worse at noon. In warm, damp weather. Changes of weather.

Carbolic Acid.

Beating and humming in ears. Meatus auditorius excoriated, and covered with small pustular eruptions.

General Indications: Putrid discharge from different orifices of the body. Ulcers with foul odor.

Causticum.

Roaring, singing, humming, buzzing, etc. Deafness. Cracking and snapping in ears, on turning head. Reverberation of all sounds, even of patient's own voice and steps; words and steps re-echo in ears; she speaks low because her own words sound loud; paroxysmal stitches in ears; feeling of obstruction in ears; offensive discharge; offensive ear wax; eruption on ear lobe, and behind ears; pain in ears, as if something was trying to force itself out; stopped feeling and uncomfortable pressure in ears; ears sensitive to wind; dragging pain in ears; burning heat in ears after frost bite (Agar); unnatural accumulation of wax in ears.

General Indications: In catarrhal affections of mucous membranes; paralytic conditions; aphonia.

Aggravation: Generally morning and evening; in open air.

Amelioration: From cold water; from warmth in general.

Cedron.

Tinnitus; deafness at night; singing as if of crickets; roaring in ears, produced by cinchona.

General Conditions: Periodicity of symptoms; clock-like in regularity; in malarial subjects; neuralgia intermittent in character.

Aggravation: Worse before a storm.

Cepa.

Tinnitus, roaring, humming, deafness, stitches towards and in ears; jerking pains from throat toward eustachian tubes; earache; discharging pus.

General Indications: Inflammation and increased secretion of the mucous membranes; coryza; acute catarrh.

Aggravation: In the evening, and warm room.

Amelioration: In open air.

Chamomilla.

Great sensitiveness to noise, especially to music; illusions of hearing at night, as though

voices of absent persons were heard; roaring in ears as if from rushing water (Cocc. Gels.); ringing; frequent stitches in ears (Merc. Puls.); earaches; acute inflammation of ear; ear red and hot; painful; particularly sensitive to open air about ears; swelling of parotid.

General Indications: Excessive sensitiveness to pain; peevish and irritable, nervous, excitable temperaments, especially in children; catarrhal affections in general.

Aggravation: In morning, at night, from anger, from cold, from lying down, during sweat, during sleep.

Amelioration: After sweating; on rising; from motion.

Chelidonium.

Humming in ears; roaring in ears as from wind storm; sensation of wind rushing out of ears; sensation as if ears were stopped (Carb. veg.); deafness, associated with hepatic disorders; frequent tearing, extending from right ear to teeth, in afternoon; neuralgic pains in and around ears (Bell. Merc. Puls).

General Indications: In hepatitis, in bilious conditions; pain in or beneath right shoulder blade.

Aggravation: In the morning; afternoon.

Amelioration: In the evenings.

Chenopodium.

Roaring in ears; deafness; ringing in ears; sensitive to external noises (China), although deaf to voices; dull feeling in ears and region of ears; sensation in right ear, as if muffled by an obstruction within.

China.

Ringing in ears; buzzing; tinnitus, with injection of vessels; deafness as if something were before the ears; ticking as of a watch; frequent neuralgic pains in ears aggravated by touch; hearing extremely sensitive to noises; external ear sensitive to touch; intolerance of noise; ringing in ears; ticking sound in ears; something seems to be constantly before ear; hardness of hearing; humming or roaring in ears; tearing pain in ears, aggravated by touch; stitches in ears; external ear hurts when lying on it, and is hot; hemorrhage from ears of offensive blood; purulent discharge.

General Indications: Excessive sensitiveness of the nervous system; prostration; special senses too acute; very sensitive to pain; to draughts of air; body sore; malarial conditions; debility after loss of fluids; periodicity of attacks.

Aggravation: From touch; draught of air; from motion.

Cicuta Vir.

Over sensitiveness of hearing; hardness of hearing in old people; deafness; detonation in right ear when swallowing; sore pain behind ear, as from a blow; burning, suppurating eruption on and around ears; hemorrhage from ears; hemorrhage from the ears in cerebral troubles; deafness of old people, with sudden detonations in ears, especially on swallowing (Conium).

General Indications: Convulsions; spasmodic affections in general; cerebro-spinal meningitis.

Cina.

Boring in ears; dull stitches below mastoid; when pressed, feels bruised; cramp like jerking in external ear, like earache.

General Indications: In children with affections from worms; convulsions; children peevish; constant desire to rub, pick or bore into the nose.

Aggravation: At night; on looking fixedly at an object; from external pressure.

Cinnabar.

Roaring in ears, with swelling of face; scurvy eruption in right external ear.

Cistus Canadensis.

Discharge from ears; watery, bad smelling pus (Graph. Hep.s.); inner swelling of ears; tetter on and around ears, extending to external

meatus; swelling beginning at ear and extending across face; parotitis.

General Indications: Diseases which are the outgrowths of a scrofulous diathesis; affections of glands; catarrhal disease.

Aggravation: In morning; in evening; at night.

Clematis.

Ringling in ears, as from bells; burning pain in auricles, with heat.

General Indications: In affections of the skin; lymphatic glandular system and the genito-urinary organs.

Coca.

Loud ringling, buzzing, and humming in ears; deafness.

Cocculus.

Sensitiveness of hearing; noise in ears like rushing waters, with hardness of hearing; roaring or ringling in ears.

General Indications: In attacks of paralytic weakness; affections caused by motion of carriage, swing, or ship; nervous weakness; paralysis; hysteria; most often indicated in women and children.

Aggravation: All symptoms and pains especially in the head aggravated by drinking, eating, sleeping, talking, riding in a carriage, smoking, exertion, and by cold air.

Coccus Cacti.

Roaring in ears, beginning in evening and lasting through night, disturbing sleep; sensation as if external auditory canal were closed.

Coffea.

Hearing acute; aversion to noise; seem too loud; noise and ringing in ears of nervous people; cracking noise in head, synchronous with pulse; relieved indoors; hardness of hearing, with buzzing in left ear, as of a swarm of bees; excessive accumulation of wax in ears.

General Indications: Great sensitiveness to pain, and sleeplessness from excitement; nervous excitement; excessively painful neuralgia; pains seem insupportable.

Aggravation: Aversion to open air, which aggravates the symptoms.

Colchicum.

Hearing acute; roaring in ears; tingling in ears as if frostbitten (Agar); earache, with stitches in ears; discharge from ears, with tearing pain; otorrhœa after measles.

General Indications: In tearing pains, with aggravation at night; in rheumatic and arthritic affections; great exhaustion and weakness; tearing pains, quickly changing location.

Aggravation: At night; from mental exertion; from motion.

Amelioration: From repose and in the open air.

Colocynth.

Constant roaring and throbbing in ears; crawling, itching, stitching, cutting or aching in ears; relieved by putting fingers in ears.

General Indications: Cramps in all muscles of the body; fainting, with coldness of external parts; tearing shootings traversing the whole length of the body; bad effects from anger, with indigestion; neuralgia, especially facial neuralgia and sciatica.

Aggravation: In evening; at rest; from motion; after eating and drinking; from anger.

Amelioration: From coffee; from smoking; from bending double; from hard pressure.

Comocladia.

Left ear all cracked and desquamating, like powdered starch; heat and fullness in right ear.

Conium.

Painful sensitiveness of hearing; noise startles; deafness follows; ringing; singing, humming, buzzing and roaring; ear feels stopped up when blowing nose; deafness; drawing stitching in ear from within, outward; pinching pain;

accumulation of ear wax; tumors and boils behind ears; parotitis; hypersecretion of cerumen.

General Indications: In diseases of old people, especially old men; sudden loss of strength while walking; exhaustion and faintness; swelling and induration of glands from contusion and bruises; cancerous affection of glands.

Aggravation: At night; during rest; while sitting; while eating; when lying down.

Amelioration: Better from motion, especially walking.

Crocus.

Humming and roaring in ears, causing deafness, aggravated by stooping.

General Indications: Sensation as if something living jumping in various parts; bleeding from different parts; black, viscid, clotted blood; hysteria; confused and frightful dreams; excessive prostration and weariness in the evening, with great sleepiness.

Aggravation: In morning; all symptoms better in open air.

Crotalus.

Feeling of fullness in ears; deafness; illusions of hearing; auditory vertigo; otorrhea after scarlet fever; blood oozes from ear; erysipelas of external ear, in broken down or hemorrhagic constitutions; abscess and furuncle in meatus.

General Indications: Hemorrhages from all the

orifices of the body, also from gums and beneath the nails; trembling weakness all over; paralysis; yellow color of the body.

Croton Tig.

Spasmodic twinging pains, deep within left ear; deafness; otorrhea, with great itching.

General Indication: Eczema; pustular eruptions; diarrhea.

Cuprum Met.

Distant drumming in ear upon which he is lying in morning; disappearing on rising; deafness; boring in and behind ears; pressing pain in front; swelling of meatus externus.

General Indications: In contraction of muscles and tendons; convulsion; nervous trembling, with great acuteness and sensitiveness of the senses; paralysis.

Aggravation: By contact; from vomiting.

Amelioration: From drinking cold water.

Cyclamen.

Roaring, humming, or ringing in ears; deafness as if cotton was in ear; drawing pains in right internal ear; itching of ears, with increase of cerumen.

General Indications: Great weakness and prostration; menorrhagia; amenorrhea.

Digitalis.

Noise before ears like boiling water; hissing before ears, with hardness of hearing; sudden crashing noise in head on falling asleep; painful swelling of parotid gland.

General Indications: In heart disease; great weakness and sinking.

Drosera.

Deafness, with increased humming before ears; roaring, humming and drumming in ears; pain in right internal ear, as if pressed together; sticking pain in ears.

General Indications: In disease of respiratory system; spasmodic, dry cough.

Dulcamara.

Buzzing in ears; dull pains, humming in ears, obtuse hearing; earache, nausea, buzzing aggravated at night and when still; earache preventing sleep; stitches in ears in damp weather.

General Indications: In catarrhal affections of mucous membranes; from exposure to damp, cold weather.

Aggravation: At night; when at rest; from cold air; in wet weather; from cool change of weather.

Amelioration: After rising from a seat; from

34 HOMEOPATHIC THERAPEUTICS

motion; from warmth in general, and dry weather.

Elaps.

Deafness; continued buzzing like fly in auditory canal; sudden deafness after catching cold; no pain, no tinnitus; otalgia; sudden painless attacks of marked deafness at night, with constant roaring and cracking in ears; offensive discharge from ear; watery, yellow, greenish discharge; intolerance of itching in ears; pain in ears on swallowing.

Eryngium Aq.

Inflammation of eustachian tube; left ear swollen in and out; tender to pressure, bleeds easily, thick, bloody, foul smelling pus; bruised, tearing pain about ears, as if they were being torn from their location.

Eupatorium Per.

Buzzing in ears; heat on top of head.

General Indications: In diseases of the gastro-hepatic system; in malarial troubles; influenza or catarrhal fevers; rheumatism.

Euphorbium.

Roaring, buzzing in right ear, cannot sleep at night.

Ferrum.

Over sensitive to sound; fetid discharge from ears; deafness; ringing in ears; humming in ears; stitches in ears.

General Indications: In persons who, though weak and nervous, have a very red face; in delicate, chlorotic women; sanguine temperament; in debilitated persons; congestions; hemorrhages; anemia; chlorosis.

Aggravation: In the night, particularly after midnight; from changes in position; on beginning to move; lying down; from fat food; abuse of quinine; after eating and drinking; from noise; from heat; from motion.

Amelioration: On leaning against anything; from moving; from continued motion; from moving affected part; when walking.

Ferrum Iod.

Roaring in ears.

Ferrum Phos.

Sensitive to noise. Roaring and buzzing from rush of blood to head. Early stage of inflammation with pulsation in ear. Inflammatory pain in ear. Otitis; membrum tympani reddened. Catarrh of eustachian tube. Parotitis. Tension, throbbing and heat in the ears; noises in ear from blood pressure; deafness from in-

flammatory action, or suppuration when there is cutting pain, tension or throbbing; tinnitus aurium; tendency to hemorrhage.

Fluoric Acid.

Great sensitiveness in morning to little noises; hardness of hearing, with rheumatism; ringing in ears; deafness for human voices (Phos); numbness of bones around ears; singing in ears; intolerable itching in both ears; otorrhea; discharge copious; otitis externa.

General Indications: Acts especially upon vegetative system, affecting mucous surfaces, glandular structures and bones; conditions due to perverted nutrition; affects the right ear; teeth of left side; complaints of old age; premature old age, in consequence of syphilitic mercurial dyscrasia.

Aggravation: In morning, at rest, on rising, when standing, when sitting.

Amelioration: From motion, from walking.

Formica.

ringing, buzzing in ears; cracking in left ear, with headache; deafness; both ears ache in morning on getting up; all parts around ear feel swollen and uncomfortable; external sensitiveness; all ear symptoms worse on right side.

Gambogia.

Ringling in left ear, sometimes hissing; pain in ears.

General Indications: Affections of mucous membrane of intestinal tract; catarrhal affections.

Aggravation: In the evening or night; while sitting.

Amelioration: From motion in the open air.

Gelsemium.

Great sensitiveness to all sounds; rushing and roaring in ears; sudden temporary loss of hearing; neuralgia; otalgia, periodical; catarrhal deafness, with pain from throat into middle ear; earache from cold; catarrhal inflammation, at beginning cold in head and closure of eustachian tubes; tense, dull, bound, giddy sensation in head, with chilliness, stupor, drowsy; pains extend from back to occiput, affecting ears; deafness from quinine.

General Indications: Bad effects from fright and fear; bad news; drowsiness, languor; convulsions; paralysis; hysteria; nervous chills; cerebro-spinal meningitis; trembling weakness; complete prostration of muscular system, with entire motor paralysis.

Aggravation: From walking; from warmth of bed; from smoking; from wine; after midnight; in damp weather; from change of weather.

Glonoïn.

Ringings in ears; noise in left ear, as if it came from heart; deafness as if ear stopped up; paralysis of auditory nerve; throbbing, piercing from within, out; throbbing above ears; sensation of fullness in and around ears; ears red.

General Indications: Bad effects from exposure to the rays of the sun; bad effects from mental excitement, fright, fear, mechanical injuries and their late consequences; sunstroke; syncope; congestion of brain; headache; painless throbbing in the whole body; great weakness and prostration.

Aggravation: From motion; from wine; from shaking or jarring the parts.

Amelioration: At night, in the open air.

Graphitès.

Music causes weeping; reverberations in ears, even hears words and steps; humming, hissing, ringing, rushing, roaring, crackling in ears; violent nocturnal roaring; ears feel stuffed; thundering, rolling before ears; cracking in ear when eating or moving face aggravated in bed in morning, or when sneezing; snapping in ear after eructation; sensation as if skin were before ear; deafness, with dryness of ears; hears better in a noise or carriage; otalgia; congestion of membrum tympani; moisture in ears; gluey, sticky

discharge at external meatus; discharge of blood and pus; bad odor from ear; swelling of both ears, with moist eruption behind ears; fissures, cracks, eczema, itching, moist; swelling of glands behind ear.

General Indications: In affections of the skin, the lymphatics, the digestive system and sexual organs; scrofulous affections; glandular swellings and indurations; weak exhaustion of the whole body; itching and excoriation of skin, from which oozes a watery, corrosive, sticky fluid; affections of the ears, especially the left; in persons inclined to obesity; in persons with deformed nails.

Aggravation: At nights; in mornings; from becoming cold, during and after menses, from suppressed menses; on beginning to walk; from light in general, particularly daylight.

Amelioration: From eructations; from walking in open air; in the dark.

Guaiacum.

Painful dragging and tearing in left ear; otalgia; spasmodic earache; deafness.

General Indications: Acts especially upon muscular tissues, producing rheumatic and arthritic pains; dragging and drawing pain in muscles.

Aggravation: From motion; while sitting; in

morning; after rising, or in the evening before lying down; in open air.

Amelioration: In the room.

Hamamelis.

Deafness in right ear; bleeding at right ear; relieved by nose bleed; buzzing, ringing in ears.

General Indications: In venous congestions; varicose; passive-venous hemorrhages; phlebitis; hemorrhoids.

Hepar Sulph.

Sensitive to contact; will not have ears touched on account of pain; whizzing and throbbing in ears, with deafness; cracking in ear when blowing nose; darting pain in ears; increase of ear wax; discharge of fetid pus from ears; canal filled with white, cheesy, bloody pus, surrounding skin, scurfy, and irritated; pustules at meatus; hemorrhage from slightest touch; relieved by warm applications; aggravated by cold; itching of ear; green discharge; mastoiditis.

General Indications: Sensitiveness to open air, with chilliness; glands inflame, swell and suppurate; caries of bones; unhealthy suppurating skin, even slight injuries suppurate; ulcers very sensitive to contact; easily bleeding; discharge corroding; smelling like old cheese; bad effects from abuse of mercury; boils, abscesses and suppura-

tion in general; catarrhal affections; ailments after west or north-west winds.

Aggravation: At night, in the morning, from cold air, from touching parts, from cold in general, from uncovering head, from swallowing, especially food.

Amelioration: From warmth, from wrapping up head or body.

Hydrastis.

Deafness; roaring in ears like machinery; tinnitus aurium from catarrh of the inner ear; membrum tympani purplish, bulging. Perforation of membrum tympani; mucous membrane of middle ear eroded, granular and exuberant with polypoid growths; purulent, thick, tenacious discharge, more mucous than pus; bland mucous discharge, associated with dropping in posterior nares.

General Indications: Catarrhal affections of mucous membrane; increase secretions from mucous membranes; tenacious, ropy; erosions.

Hyoscyamus.

Buzzing, singing, rushing in ears; deafness as if stupefied, especially after apoplexy; hardness of hearing from paralyzed auditory nerve.

General Indications: Muscular twitching; convulsions; sleeplessness, from excessive nervous excitement; bad effects from cold air; excessive

nervous excitement, mania, delirium, illusions, hallucinations; hardness of hearing from paralyzed auditory nerve.

Aggravation: In evening; after eating and drinking; in hot room; during menses; from mental affections; from unhappy love.

Amelioration: From stooping; from smoking; from coffee.

Hypericum.

Sensitiveness of hearing; during catamenia; shooting through ears.

General Indications: Consequences of shock or fright; in lock-jaw from wounds in soles and hands; convulsions from blows or concussions; injuries to parts rich in sentient nerves; bad effects from treading on nails, from rat bites or any other punctured wounds; parts very sensitive and sore to touch.

Iodine.

Sensitive to noise; buzzing in ear; deafness due to morbid condition of eustachian tube; catarrhal deafness; scrofulous subjects; adhesions in middle ear; chronic deafness; deafness with chronic catarrh of the eustachian tube; inflammation of the tonsils.

General Indications: Emaciation; swelling and induration of glands; scrofulous affections; bad

effects from mercury; especially suitable to persons of dark hair and eyes.

Aggravation: At night; in afternoon; by walking or riding; from pressure; from warmth; from rising in bed; from warmth in general.

Amelioration: From cold in general; after sleep; after eating; from uncovering the head; after rising from the bed.

Ipecac.

Cannot endure the least noise; ears cold during febrile heat.

General Indications: In catarrhal affections; nausea; great weakness.

Aggravation: After lying down; morning and evening.

Jacaranda.

Flapping in ears, as if wings; stoppage and heat in left ear, with burning, digging pain, extending to left nostril.

Kali Bichrom.

Stitches in left ear and left parotid gland, with headache; stinging from external meatus into internal ear; pulsating pain at night; purulent otorrhea; stitches extending into mouth or down neck; enlarged parotid; thick, yellow, tenacious fetid discharge from ears; chronic suppuration; membrum tympani perforated; external meatus

of left ear swelled and inflamed; redness, heat and itching of external ears; eruption on ears; eczema of external ear, with watery oozing.

General Indications: Catarrhal affections in general; scrofulous disease; great prostration; diphtheritic formations on mucous membranes, also plastic exudations of ropy, stringy mucous.

Aggravation: In the morning; from cold; after eating.

Amelioration: From heat; towards evening.

Kali Brom.

Ringling in ears; roaring in ears at night, synchronous with pulse; sounds echo in ears; deafness.

Kali Carb.

Ringling, roaring, whizzing, singing; headache, with noise in ear, after cold drink; deafness; tearing in ears; stitches from within, outward; otitis; discharge of yellow pus; parotitis, especially right; chronic inflammation of the middle ear, with sticking pains from within outward, especially behind the ear accompanied with chronic catarrh of nose.

General Indications: Suitable for old people and fat people with lax fibre; in pulmonary affections; inclined to take cold; frequent exhaustion and weariness; sticking, stitching pains;

wakes in the morning about 2 or 3 o'clock and cannot sleep again.

Aggravation: In the morning about 2 or 3 o'clock; at rest; from cold and from becoming cold.

Amelioration: During the day while moving about; from warmth; in the warm air.

Kali Iod.

Singing in ears; boring pain in ears; tearing in right ear, which becomes sensitive; severe tearing pain in temporal bone; at night; evening; otitis in rickety children, with great tenderness of head; mastoiditis.

General Indications: Great general debility; enlarged glands; swelling of bones; in mercurial, syphilitic and scrofulous affections; after abuse of mercury.

Aggravation: At night, in cold air, at rest; better from motion.

Kali Mur.

Deafness from swelling of internal ear, from swelling of eustachian tubes and tympanic cavity; with swelling of glands and cracking noise on blowing nose; earache with gray or white furred tongue; cracking noise on swallowing; proliferations in middle ear; obstruction of eustachian tube; naso-pharyngeal catarrh; retraction of

membrum tympani; moist exfoliation of epithelial layer of tympanum; excessive granulations; stuffy sensation; deafness, and naso-pharyngeal obstruction; closed eustachian tube; acts more on right eustachian tube.

General Indications: In fibrinous exudation in the interstitial connective tissue. Lymphatic enlargements. White or gray coating at base of tongue; white or gray exudation; glandular swellings; discharge of thick white fibrinous slime from any mucous surface.

Kali Phos.

Deafness from want of nervous perception, weakness or exhaustion of auditory nerve; noises in ear from nervous exhaustion; ulceration of membrum tympani, with foul discharge; ichorous discharge; atrophic conditions of old people; humming and buzzing in ears.

General Indications: In conditions due to want of nerve power and impaired innervation; atrophic conditions in old people; in adynamic or typhoid conditions; brain fag from over work; nervous dread; melancholia.

Aggravation: By noise, by exertion and after rest; when alone.

Amelioration: Gentle motion, eating, excitement, company.

Kali Sulph.

Deafness from catarrh and swelling of eustachian tube and middle ear, aggravated in a warm room; watery, mattery discharge; secretion of thin, yellow, sticky fluid; bright yellow pus; brown, offensive secretion from right ear; pain under the right ear; sharp cutting pain, tension, stitches, pressing below the mastoid process; stinking otorrhea; polypi.

General Indications: In stage of retrogression of inflammation; in ailments accompanied by profuse desquamation of epidermis; yellow mucous discharges; neuralgia pains in different parts of body, with tendency to shift in locality.

Aggravation: Symptoms aggravated in the evening, especially temperature; in a heated room.

Amelioration: In cool, open air.

Kalmia Lat.

Stitches in and behind right ear; in neck and thighs at night; sound like blowing a horn, after cracking in head; Menière's disease.

General Indications: Rheumatic pains all over the body; in affections of the heart; muscular rheumatism.

Kreosotum.

Deafness, with buzzing; roaring, also humming and deafness before and during menses;

syphilitic deafness; stitches in ears; otitis; humid tetter on ears, with swelling of cervical glands.

General Indications: In scrofulous affections; putrid ulcers; gangrene; catarrh; in corrosive acrid discharges; ulceration and destruction of parts; general weakness and prostration; excoriation of mucous surfaces; complaints after menstruation.

Aggravation: After menstruation; in the morning, at night, in open air; from growing cold; cold weather; cold bathing; cold food; from rest.

Amelioration: From warmth; from motion.

Lachesis.

Sensitive to sounds; rushing and thundering in ears; painful beating, cracking, whizzing, drumming, with reverberations; whizzing as from insects in ears; ears feel as if closed; deafness, with dryness in ears; want of wax; stoppage and stricture of eustachian tube; in evening, pain in left ear, aggravated from moving jaw, relieved by external warmth; tearing, extending from zygoma into ear; pains in ears, with sore throat; polypus; ears excessively sensitive to wind.

General Indications: Weakness of whole body in morning on rising; great physical and mental

exhaustion; obliged to wear clothes loose; cannot bear contact; often useful in women during climacteric period; troubles beginning on the left side of the body; patient sleeps into an aggravation.

Aggravation: After sleep; in morning; in evening; after eating; from extremes of temperature.

Amelioration: While eating.

Ledum.

Noises in ear as from ringing of bell, or from a storm of wind; ringing and whizzing; hardness of hearing, as if ear was obstructed by cotton; after cutting hair; after chilling head; after suppression of coryza or otorrhea; rheumatic otitis; inflammation of the ear, with deafness; from getting cold, as from having the hair cut.

General Indications: In punctured wounds; from chronic injuries; patients complain of being cold all the time; affections of the heel and ball of foot; rheumatic and arthritic affections; heat of bed intolerable; wants to uncover; eruptions which burn and sting like the bites or stings of insects.

Aggravation: From heat, especially heat of bed; from motion, at night; from wine.

Amelioration: While reposing.

Lith. Carb.

Earache left side, from throat, with prosopalgia; pain behind left ear in bone, extending toward neck.

General Indications: Rheumatism; gout.

Lobelia.

Sudden shutting up of right ear, as if stopped by a plug, at 2 P. M. aggravated by boring finger in ear.

General Indications: Urine deep red color, with copious sediment; relaxed condition of system from its action on the pneumogastric nerve; mental depression; great prostration and weariness; oppression of breathing.

Aggravation: From cold, especially cold washing.

Amelioration: Towards evening.

Lycopodium.

Over sensitiveness to hearing, especially musical sounds and noises; roaring, humming, whizzing, rushing in ears; singing as from boiling water; sensation as if hot blood rushed into ears; deafness; otorrhea; offensive, purulent, ichorous discharge; external meatus excoriated by offensive discharge; drum head destroyed; small ulcers or polypi in ear; humid, suppurating scurf behind ear; exzema of ears, with thick crusts and fissures in skin.

General Indications: Excessive accumulation of flatulence in the abdomen; weak memory; confused thoughts, speaks or writes wrong words; desire for open air; catarrh; affection of right side; symptoms running from right to left; feeling of fullness after eating a little.

Aggravation: All symptoms from 4 to 8 P. M., on lying down; while sitting; after eating; from moistening the parts; on beginning to move.

Amelioration: After 8 P. M.; from continued motion; from cold; from warm food; from warm food or drink; from getting warm in bed.

Lyssin.

Hearing running water makes irritable and nervous; hearing running water aggravates symptoms.

Magnesia Carb.

Whizzing, buzzing, fluttering in right ear; hardness of hearing and ringing in ears; inflammation of ears, with external redness and sensation of great soreness.

General Indications: Dyspepsia; rheumatic pains in the shoulder; epileptic attacks; frequently falls down suddenly, with consciousness.

Aggravation: At night; while at rest; while sitting; in cold weather.

Amelioration: Better from motion.

Magnesia Mur.

Deafness, as if something lying before ear; pulsation in ears; itching behind ears.

General Indications: In women, especially hysterical with uterine troubles; neuralgia; difficult dentition; gastric and hepatic troubles; spasms and hysterical weakness.

Aggravation: While sitting; in the night.

Amelioration: By motion; by pressure; by exercise in open air.

Magnesia Phos.

Otalgia, purely nervous; weakness of auditory nerve fibers, causing deafness.

General Indications: Pains that are darting, spasmodic in character; boring lightning like, accompanied by constrictive feeling.

Aggravation: Pains worse on right side.

Amelioration: By warmth externally applied by pressure.

Manganum.

Deafness as if ears were stopped; dull hearing, relieved by blowing nose, aggravated during cold and rainy weather (Dulc); fullness of ears, with difficult hearing and cracking when blowing nose or swallowing; sudden stitch of pain in deaf ear; stitches in ear when talking, laughing, or walking; external ear painful to touch; pain in right ear, from teeth; burning of ears, as if standing

near a stove; pain aggravated in morning and in open air; ear sore to lie on; catarrh of eustachian tube, with stitching pain; pain and whizzing noises in ears; deafness by change of weather (Dulc).

General Indications: Affections of the internal ear; pains in the bones and periosteum; worse at night; arthritic pains in the joints; chronic catarrh.

Aggravation: In the night; on stooping; from talking.

Amelioration: In the open air.

Merc. Dulc.

Catarrhal inflammation of the middle ear; eustachian tube and mucous membrane of pharynx affected; otitis media; closure of eustachian tube; ear troubles in scrofulous children; membrum tympani retracted, thickened, and immovable.

Merc. Sol.

Deafness; sounds vibrate in ears; obstruction momentarily relieved after swallowing or blowing nose; catarrh after catching cold; sensation of coldness in external ears; interstitial inflammation and swelling of periostium; sensation as if ear was stopped up; ringing in ears; enlarged tonsils, with occlusion of eustachian tubes, and deafness; soreness and excoriation of inner ears;

tearing and shooting pains in ears; sticking and burning deep in both ears; sticking, stinging, tearing pains; purulent discharge; green, excoriatory offensive discharge; glands swollen; inflammation of sub-mucous and subcutaneous cellular tissue, extending to parotid gland; purulent offensive otorrhea; itching in ears, with vesicular eruption; inflammation of the auditory canal; furuncular, herpetic, suppurative and ulcerative, with intolerable pain, involving the whole side of head at night; acute and chronic catarrh of the ear, involving eustachian tube with deafness.

General Indications: In glandular swellings; syphilitic, scrofulous catarrhal affections; rheumatic and arthritic affections; bone pains.

Aggravation: In the evening and at night; from heat of bed; during perspiration; in wet weather; in cold evening air; damp cold nights; during exercise; from lying on right side.

Amelioration: During the day; during rest.

Mezereum.

Ears feel as if too open, and as if cold air was pouring into them, or as if tympanum was exposed to cold air, with a desire to bore with finger into ear; intense itching in the ear; sensation as if ear was distending in right external meatus, and as though roaring in ears would occur; chronic diffuse otitis; oozing eruption be-

hind ears; deafness after suppression of eruption on head; violent pains, involving the teeth and face with constant chilliness; after abuse of mercury, or when mercury has failed.

General Indications: Violent neuralgic pains of teeth and face, especially left side running towards ear; bad effects from abuse of mercury; affections of the periosteum and bones; scrofulous affections; syphilitic affections; ulcers bleed easily, sensitive and painful at night; thick, whitish, yellow scabs, under which thick yellow pus collects; burning, itching, vesicles around ulcers; affections of one side of the body.

Aggravation: In the evening, at night, from contact, by motion; in damp weather; sensitive to cold air.

Amelioration: Wrapping up the head; in dark room; in the evening or through the night.

Mur. Acid.

Over acuteness of hearing; sensitive to noise; hardness of hearing; loud, crackling sounds at night; ear dry; tingling, humming, whizzing in ear, beating or knocking; otalgia, with pressing pain; tingling, creeping, cold pain running from ears up to top of the head; sharp boring in temporal region.

General Indications: In low putrid fever; scorbutic affections; great debility.

Aggravation: Great sensitiveness to damp weather.

Nat. Carb.

Over sensitiveness of hearing; sensitiveness to noise; hard hearing, as if the ears were closed up; roaring in ears.

General Indications: In affections of mucous membranes, especially nasal; glandular swelling.

Aggravation: in forenoon; during a thunder-storm; after exertion; from music; in the sun; from talking; after meals.

Amelioration: From boring with the fingers into the nose or ears; pressure from without; rubbing; scratching.

Nat. Mur.

Buzzing, humming, roaring or ringing in ears; deafness; deafness from swelling of tympanic cavity; catarrh of the tympanic cavity and eustachian tube; non-suppurating; drawing and stitching pains from ear down to neck and shoulder, and from teeth up to ear; throbbing in ears; ears red from congestion; otorrhea; painful cracking in ears when masticating; discharge of pus; chronic catarrhal otitis, with acrid discharges.

General Indications: Melancholy, depressed, sad and weeping; consolation aggravates; easily fatigued; great prostration; intermittent fevers;

scorbutic affections; emaciation; great liability to take cold; headache as from little hammer knocking upon the brain.

Aggravation: While lying down, especially in morning or evening; at 10 A. M.; after exertion; in heat of sun; heat in general.

Amelioration: In open air; while fasting; after dinner; from sitting up; from lying on right side.

Nat. Phos.

Ears sore; externally burn and itchy; thin, cream like scabbing, with yellow tongue; one ear red and hot, frequently itching.

General Indications: Ailments with excessive acidity, thin, moist coating of tongue; soft palate has a yellowish, creamy look.

Aggravation: During thunderstorm; pains aggravated during menstruation.

Nat. Sulph.

Ringings in ears as of bells; pressing in ears as if tympanum were pressed out; earache; otalgia; earache, lightning like stitches; in damp weather or damp ground.

General Indications: In suicidal tendencies; irritability; melancholia; prostration; trembling of whole body; melancholia aggravated by music.

Aggravation: In damp weather; from water in any form.

Amelioration: In warm, dry weather.

Nit. Acid.

Deafness relieved when riding in a carriage or train (Graph); crackling in ears when chewing; from induration and swelling of tonsils; after abuse of mercury; syphilitic; eustachian tube obstructed; throbbing in ears; fetid, ichorous, purulent otorrhea; caries of mastoid process, syphilitic or mercurial; sensitiveness of bones of the ear; aggravated by change of weather.

General Indications: Depressed, despondent mood; in syphilitic and sycotic affections; bad effects from abuse of mercury; affections of bones and glands; ulcers on mucous membranes; especially useful in dark complexion persons; old people.

Aggravation: In evening and at night; in morning; from change of temperature or weather; on walking; while walking; from touch; from abuse of mercury.

Amelioration: While riding in a carriage.

Nux Mosch.

Over sensitiveness of hearing; buzzing or ringing in ears as if stopped up; tearing or stitches in ears, aggravated by moving jaw; pain in eustachian tube as if from foreign body; before wind and rain.

General Indications: Changeable mood; loss of memory; sleepy, drowsy condition with all com-

plaints; hysterical complaints; especially suitable for women and children.

Aggravation: From cold damp weather; from washing or getting wet; from riding in a carriage; after eating or drinking; from spirituous liquors.

Amelioration: In the room; from warm air; in dry weather.

Nux Vom.

Hyperesthesia of auditory nerve; every sound affects painfully; hardness of hearing, with roaring, singing and other noises; ringing sounds in ears; strong reverberations; stitches, pressure and shocks in ear; otalgic pains extending to forehead and temple, or into middle ear; otalgia, intermittent pains going into a warm room or in bed; tinnitus and stuffiness of the ears in the morning.

General Conditions: In complaints of persons of sedentary habits; quarrelsome; ill-humored; great debility, with over sensitiveness of all the senses; bad effects from highly seasoned foods, coffee, tobacco, spirituous liquors; from drugs; in dark hair patients; hypochondriacs.

Aggravation: From mental exertion in the morning; after eating; from motion; from slight touch; in open air; in dry weather.

Amelioration: Head symptoms better from having head wrapped up; lying down; in the



room; from warmth in general; in damp and wet weather; while lying in bed.

Onosmodium.

Roaring and whizzing in ears, with dull, pressing pain in occiput; evening with pain in ear and shooting in front of auricle; vertigo result of chronic catarrhal inflammation of middle ear; vertigo, with ringing in ears.

Opium.

Acuteness of hearing; buzzing, humming, and violent roaring in ears; congestion to ears; hematorrhea.

General Indications: Loss of consciousness, with slow, stertorous breathing; insensible to external impressions; dull, stupid, drowsiness; ailments from fright or emotion; especially suitable for children and old persons; for drunkards.

Aggravation: From heat; from brandy; wine; while perspiring; during and after sleep.

Paris Quad.

Pains in ears on swallowing; sudden pain in ear as if forced apart by a wedge, or as if ear were pressed out or torn out; as if a burning heat were rushing out of ear.

General Indications: Great sensitiveness to offensive odors; sensation of extension in size.

Petroleum.

Sounds; roaring as of wind; as of rushing water; ringing, as of bells; deafness, with noise in ears; eustachian tube affected, causing whizzing, roaring, and crackling, with deafness; dryness in ears; inflamed and swollen meatus; external ear painful; discharge of blood and pus from ear; redness, soreness and moisture behind ears, bleeding easily (Graph. Mez); deafness, with frequent occipital headache, tearing pain in the ears, as if water were in them; pain in eustachian tube, with noises in the ears, with deafness.

General Indications: Affections from anger, vexation, eczema, herpes, chilblains; exanthema corroding and spreading.

Aggravation: Before or during a thunderstorm; from riding in a carriage or ship; in open air.

Phos. Acid.

Intolerance of noise, especially of music; roaring in ears, with difficult hearing; nervous deafness, after typhoid; dull hearing; stupefaction, especially to distant sounds, from mental or bodily exhaustion; otalgia; drawing pains in cheeks and stitches in ears, from music.

General Indications: Complete indifference to everything; difficult of comprehension; bad effects from sexual excess; grief; sorrow; unfortunate love; affections of periosteum; bones; suit-

able for young people who are growing too fast; great weakness and prostration, especially in the morning.

Aggravation: From suppression of cutaneous eruption; from loss of fluids at night; at rest: from uncovering; from warm food.

Amelioration: From motion; from warmth.

Phosphorus.

Hearing too acute; words and sounds reverberate in ears; music especially; resounding of his own voice (Caust); buzzing; noises in ears; roaring from rush of blood; deafness; difficult hearing, especially the human voice; ears feel stopped up; nervous deafness.

General Indications: Physical and nervous weakness; complaints in tall, thin persons, having dark hair, especially in women; diseases of the bones; exostosis, necrosis, caries, inflammation of mucous membranes.

Aggravation: Before midnight; during a thunderstorm; when lying on back or on left side.

Amelioration: In the dark; lying on left side; after sleep; from cold things; cold water until it gets warm.

Phytolacca.

Shooting pains through both ears when swallowing; right side worse; eustachian tubes feel obstructed.

General Indications: In syphilitic affections; periostitis; rheumatism; neuralgia; glandular inflammations; ulcerated sore throat; burning heat in throat as from fire.

Aggravation: Pains always worse at night.

Amelioration: Better while lying down.

Picric Acid.

Otitis externa circumscripta; furuncle in canal; noises in the ear, with vertigo and headache at the base of the brain; chronic deafness, with noises in the ears when tired.

General Indications: Great indifference; lack of will power; brain fag; tired feeling on least exertion.

Plantago Maj.

Pain in ear, with pain in teeth and face; pains are sharp, twinging and running; otalgia, independent of organic lesions; neuralgia; earache, associated with toothache; darting, twinging, sharp, stabbing pains in inferior maxillary branch of trifacial; earache, with toothache, the pains are darting, stabbing or twinging.

General Indications: Irritable, morose disposition.

Aggravation: Heat of room; despondency; confusion of thought; neuralgia.

Platina.

Nervous deafness; great variety of noises in the ear; reports in right ear like distant thunder;

ringing, rolling, or rumbling sound in ears; otalgia, with cramp pain; sensation of coldness in ears, with sensation of numbness extending to cheeks and lips.

General Indications: Hysterical affections; melancholia; neuralgia; painful numbness.

Aggravation: In evening; in room; at rest,

Amelioration: From motion; in open air.

Plumbum.

Hardness of hearing; often sudden deafness; buzzing in ears; stitches and tearing in ears.

General Indications: Slow perception; apathetic; loss of memory; unable to find proper word; neuralgia; colic; paralysis; constipation; epilepsy.

Aggravation: At night; while lying in bed; from drinking.

Amelioration: From rubbing.

Psorinum.

Singing, cracking, humming, buzzing and ringing in ears, with hardness of hearing; severe pain in ears; discharge of reddish ear wax or fetid pus; otorrhea, thin ichorous discharge, horribly offensive, like rotten meat; ulceration of membrum tympani; itching in ears; external ears raw, red, oozing, scabby; sore behind ears; herpes from temples over ears to cheeks; right ear a mass of crusts and pus; humid soreness be-

hind ears; scurfs on ears; scabby eczema behind ear.

General Indications: Scrofulous and psoric diseases, itch, ulcers, eczema; pale, sickly, delicate children; crusty eruption all over.

Aggravation: In evening and before midnight; when riding; in open air.

Amelioration: In morning; on lying down; in the room.

Pulsatilla.

Sensation as if ears were stopped, with roaring like a loud, distant noise; noises in ears; humming, tinkling on moving the head or body; ringing; sound of wind or rushing water; roaring, relieved out doors; deafness, as if ears were stopped up; after suppressed measles, with otorrhea; from cold after cutting hair; from catarrh of eustachian tube; hears better on the cars (Graph); hardness of hearing relieved in a warm room, aggravated in cold, damp weather; otalgia; pain violent, as from something forcing outward, jerking, tearing, darting, shooting, pulsating at night; otitis media; profuse, thick, yellow discharge, or yellowish green in children; severe pain in ear, especially in evening, continuing through the night, with paroxysms of increased severity; inflammation and swelling of external ear, with discharge of thick pus, with pain aggravated at night; earache relieved by

cold applications; catarrhal inflammation in the ear from a suppressed cold in the nose.

General Indications: Mild, gentle, yielding disposition, with inclination to weep; catarrhal affections, especially with thick bland, yellowish green discharge; sandy hair, blue eyes, pale face, especially women and children; longing for fresh air; wandering pains, shift rapidly from part to part; chilliness, even in a warm room.

Aggravation: In the evening; at night; from warmth of bed; in warm room; after eating, especially after fat food, pork, ice cream, fruit, pastry.

Amelioration: In open air; in a cool place, when lying upon the back.

Rhus Tox.

Otalgia, with pulsation in ear at night; excoriating discharge of bloody pus from ear, in acute inflammation; erysipelatous inflammation of external and internal ear, vesicular; otalgia; lobule of ear swollen; parotitis.

General Indications: Complaints after getting wet; bad effects from sprains and bruises; rheumatic affections; vesicular, pustular, and hepatic eruptions; great debility, paralytic weakness and soreness, especially when sitting and when at rest; great restlessness and uneasiness; must change position, which relieves for a while; feel-

ing of stiffness on first morning; wears off from continued motion.

Aggravation: Before a storm of rain; from getting wet; in wet weather; from north-easterly winds; while at rest; on beginning to move; from cold in general.

Amelioration: From continuous motion; from moving affected parts; in warm, dry weather.

Salicylic Acid.

Deafness, with noises in ears; nervous deafness; roaring in ears, with difficult hearing; auditory nerve vertigo; Menière's disease; tendency to fall to left side; purulent, fetid otorrhea.

Sanguinaria.

Hyper-excitation of auditory nerve; painful sensitiveness, especially to sudden sounds; ear-ache, with headache, singing in ears and vertigo; acute internal otitis; catarrhal affection of inner ear and eustachian tube; throat affections, causing deafness and otalgia; increased redness of external ear, with humming and roaring in ears, from increased circulation of the blood through aural structures; burning ears; cheeks red.

General Indications: Flushes of heat; glow of warmth over body; heat flying from head to stomach; determination of blood to the head, with whizzing in the ears and flushes of heat; sick headache.

Aggravation: Morning and evening; from light, noise and motion.

Amelioration: When lying quiet; in the dark room; after vomiting.

Sepia.

Over sensitiveness to noise. and particularly to music; loud sounds and humming in ears, followed by loss of hearing; sudden attack of brief deafness; chronic otalgia, with toothache, returning after very slight cold; discharge of thin water from ear; much itching in affected ear; swelling of, and eruptions on, external ear; tetter on lobe of ear, behind ears, and nape of neck; stitches in parotid gland, which swells, with tensive pain on turning head.

General Indications: In yellow, earthy, waxy complexion; mental depression; great apathy; indifference to everything; excessive prostration, exhaustion and faintness.

Aggravation: Morning and evening: after eating: while sitting.

Amelioration: In the open air.

Silicia.

Over sensitiveness to noise. Ears painfully sensitive to loud sounds. Ringing or roaring in ears. Stoppage of ears, which opens at times with a loud report. Difficult hearing, especially of the human voice (Phos.), and during full

moon. Diminished hearing from roaring in head. Deafness, aggravated by washing, and changing linen, relieved by electricity. Deafness, relieved by blowing nose and coughing. Deafness of nervous origin: suddenly after a faint: ringing in ears and deafness with paralysis. During headache, roaring in ears, as if something alive were in them. Menière's disease. Itching. Otagia. Stitches in ears. Shooting pain in left ear. Inflammation of labyrinth cerebro spinal meningitis. After over-exertion, headache, earache, deafness. Constant watery ichorous discharge without pain, except after a fresh cold. Pain, drawing, and shooting, aggravated at night from change of weather, movement or after being long seated. Child bores into its ear with fingers when asleep, causing a discharge of blood and pus. Enjoys having the ear cleaned. Feeling of sudden stoppage of ear, relieved by gaping or swallowing. Hissing sounds in perforated ear. Increased secretion of thin cerumen. Otorrhea, offensive, watery, curdy, with soreness of inner nose and crusts on upper lip: after abuse of mercury. Caries. Swelling of external ear, with discharge of pus and blood. Offensive otorrhœa. Caries of mastoid. Swelling of parotid.

General Indications: Slow suppurating processes in general. Glands, abscesses, ulcers, etc. Scrofular and rachitic conditions. Disease of

bones. Necrosis; caries: periostitis. Weakness and sense of great debility: sensitive to cold air: takes cold easily. Small wounds heal with difficulty.

Aggravation: At night: during full moon: from motion: from uncovering head: in open air: from cold: from chilling the feet.

Amelioration: From wrapping up head: from warmth: in the room.

Spigelia.

Over sensitive to hearing, with neuralgia and headache. Sensation of distant ringing in both ears, with sensation as if ear were loosely stopped, or thick mist were in front of it. Periodical deafness. Otalgia: pressing pain as from a plug. Neuralgia of the ear, sudden stitch extending to eye, zygoma, jaw and teeth. Noises in ear. Voice resounds like a bell through brain.

General Indications: Especially useful in neuralgia of the fifth pair of nerves. In rheumatic and neuralgic affections of the heart.

Aggravation: From motion: noise: inspiration: touch.

Stannum.

Very sensitive to noises. Hallucinations of hearing. Singing in ears, with vertigo. Hardness of hearing.

General Indications: Affection in general of the chest. Paralysis. Epilepsy. Prosopalgia.

Aggravation: From motion: from talking.

Amelioration: From walking: when lying on back.

Staphisagra.

Hardness of hearing, with swelling of tonsils, especially after the abuse of mercury. Stitches in ears. Ringing in ears on moving head. Reports in ears. Sensation as if wind blew into them.

General Indications: Abuse of mercury or thuja. Affections of glands and bones. Secondary syphilis. Scrofulous affections. Warts.

Aggravation: At and in morning: from loss of fluids: from touch.

Sulphur.

Deafness, preceded by over sensitiveness of hearing, especially for human voices. Impaired hearing: heat and heavy pressure on top of head, with soreness of brain extending to inner ear. Hardness of hearing, with hissing and humming in ears. Frequent stoppage in ears, especially when eating or blowing nose. Sounds in ears, ringing, swashing as from water, humming, and hissing. Otitis, in psoric patients with skin eruptions. Discharge from ears, dirty, offensive: objects to ears being washed. Discharge of

offensive blood-stained pus from the ears, with intense itching. Severe itching in ears with pain when trying to relieve it.

General Indications: Scrofulous and rachitic complaints. Scabies. Vesicular, hepatic and pustular affections of the skin. Inflammation, swelling and suppuration of glands. Especially suitable for lean, stoop-shouldered persons. Sensitive to open air: inclined to take cold. Volupuous itching and tingling, with burning and soreness after scratching. Itching worse from warmth of bed.

Aggravation: In evening, or after midnight: from warmth of bed: during rest: from washing or bathing in the open air.

Amelioration: During motion: on walking.

Tellurium.

Dull throbbing pain in ears day and night. Thin, watery, excoriating discharge, smelling like fresh pickle, causing vesicles. Vesicular eruption on membrum tympani, suppurating, perforating. Severe pain deep in ear. Eczema behind ears.

Teucrium.

When blowing the nose, a fine singing in the ears, and sounds like the passing of air through mucus. Accumulation of mucus in middle ear.

Thuja.

Chronic otitis media: watery or purulent discharge smelling like putrid meat. Granulations of middle ear. Polypus in ear: cracking in left ear when swallowing.

General Indications: Pathological vegetations: warts: condyloma, etc.

Verbascum.

Deafness, as if ears were closed.

Zincum.

Noises in ears, continuous during night: dull whizzing in evening, pulsating, ringing, roaring. Tearing in ears. Otalgia, with tearing stitches and external swelling, especially with children. Neuralgia of middle ear, pains tearing and cutting, often with suppuration. Earache of children, especially of boys. Otorrhea of fetid pus.



REPERTORY

[< means aggravated. > means relieved.]

- Abscess behind both ears—Baryt-M.
- Ache—Bones around ears hurt and—Calc. Ph.
- Both ears in morning on getting up—Form.
- Aching deep in ears—Caps.
- In ears > as by putting finger in ear—Colocy.
- Acrid discharge from ear—Nat. M.
- Acuteness of hearing, sensitive to noises—Mur. ac.
- Of hearing—Op. Phos.
- Air—As if right meatus was distended by—Mez.
- As if cold air was pouring in ear—Mez.
- Ear sensitive to open—Cham.
- Pain in ear < by cold—Acon.
- Pain in ear < in the morning and open—Mang.
- Stitches in ear from draught of—Camph.
- Alive in ear—Roaring as if something—Sil.
- Apoplexy—Deafness after—Hyos.
- Artillery—Shocks in ear like—Badiago.
- Atrophic condition of ear in old people—Kali Ph.
- Auditory Canal—Furuncular inflammation of—Calc. Pic.
- Merc. s. Pic. ac.
- Sensation as if closed—Coccus. C.
- Auditory Nerve—Deafness due to exhaustion or weakness of—Kali Ph., Mag. Ph.
- Deafness from paralysis of—Glon. Phos.
- Deafness due to impairment of—Badiago.
- Hyperæsthesia of—Nux V.
- Hypersensitive of—Sang.

- Auricles—Burning pain in—Clem.
 Eczema of—Ars. Graph.
 Rawness and burning of skin of—Ars.
- Beating and humming in ears—Carb. ac.
 and throbbing in ears.—Nat. M.
 in ears.—Mur. ac.
 of heart reverberates in ears—Bufo.
 in ears painful with reverberation.—Lach.
- Bed—Pains in ear < by warm room 'or—Nux V.
- Bees—Buzzing in left ear as of a swarm of—Coff.
- Before ears—sensation of something—Calad., China
- Behind ears boring in and—Crot. T.
 Damp moist eruption—Ant. C., Calc. C., Graph.
 Eruption in and—Baryt. C., Caust., Graph.
 Humid scurf—Lyc.
 Knotty swelling—Baryt. C.
 Sore pain—Cic. V.
 Tearing pain—Caps.
- Behind right ear—Stitches in and—Kalm.
- Bell through brain—voice resounds like a—Spig.
- Bells—Noise in ear as from ringing—Led.
 Ringing in ears as from—Clem. Nat.
 Sound as of large—Alum.
- Bland discharge from ear—Hyd. Puls.
- Bleeding from right ear, > by nose bleed—Ham.
 and ulceration of external ears—Bufo.
- Bleeds easily—ear—Pet.
 left ear—Eryn. Aq
- Blisters—Yellow blisters around ears—Camph.
- Blood, and Pus—Discharge from ear of—Graph.
 Hep. s., Pet., Sil.
 follows shooting pain in ear—Arundo.
 Discharge of blood from ears—Bry., Ham.
 Offensive from ears—China.

- Blood oozes from ears—Crotal.
 Rush of blood to ear causes noises—Arn.
 Roaring from rush of—Phos.
 Sensation as if there rushed into ear hot—Lyc.
 To head, buzzing and roaring from—Fer. Ph.
 Bloody foul smelling pus from ear—Eryn. Aq.
 Blood Pressure—Noises in ear from—Fer. Ph.
 Blow—Sore pain behind ears as from—Cic. V.
 Blowing nose < earache—Calc. C.
 Cracking in ear when—Hep. s., Mang.
 Ears feel stopped when—Coni.
 Obstruction in ear > by—Merc., S.
 Pain in ears when—Baryt., M.
 Ringing in ears when—Carb. an.
 > Deafness—Mang.
 Sensation as if something before ear on—Alum.
 Body—Pain in eustachian tube as from foreign—Nux
 M.
 Boiling Water—Noises before ears like—Dig., Lyc.
 Boils and tumors behind ears—Coni.
 Boils in ears—repeated attacks of—Calc., Pic.
 Bone diseased in ears—Asaf.
 Bones of ear sensitive to change of weather—Nit. ac.
 around ear ache and hurt—Calc. Ph.
 Bores into ear with finger while asleep—Sil.
 Boring in ears—Cina.
 in and behind ears—Crot. T.
 pain in ears—Kali. Iod.
 pain behind left ear—Aur. M.
 sharp pain in temporal region—Mur. ac.
 Bubbling and roaring in ears, like a tea-kettle boiling
 —Agar.
 Burning in ear—Æscul., Amyl., Nit., Sang.
 heat in ears as after a frost-bite—Agar, Caust.
 and digging pain with stoppage in left er—Jacar.

- Burning and itching in canals of ears—Arundo.
 and raw skin of ear—Ars.
 and sticking deep in ears—Merc., S.
 of ears as if near a stove—Mang.
 suppurating eruption around ear—Cic. V.
 Burning Redness and itching of ears as if frost-bitten
 —Agar.
 Bursting sensation, as if membrane would be forced
 out with each beat of the heart—Amyl. N.
 Buzzing in ears—Dulc., Carb. V., China, Hyos., Kali
 Ph., Nat. M., Op. Plumb., Psor.
 in ears and heat on top of head—Euper., Perf.
 in ears with earache and nausea, < at night and when
 still—Dulc.
 in right ear—Mag. C.
 in left ear as of a swarm of bees—Coff
 and roaring in ears—Caust. Ham.
 and roaring in right ear—Euphorb.
 and roaring from rush of blood to head—Fer. Ph.
 and roaring in ears—Caust., Ham.
 and vertigo in ears—Argt., M.
 or vertigo in ears—Nux Mos.
 and humming before ears with deafness—Arn.
 and humming and rushing in ears—Aur. met.
 like fly in auditory canal—Elap.
 ringing and humming in ears—Coca.
 roaring, humming and singing in ears—Coni.
 singing and rushing in ears—Hyos.

 Calcareous deposits on tympanum—Calc., Fl.
 Canals—Burning and itching in auditory—Arundo.
 Cars—Hears better on the—Graph., Puls.
 Caries of the ear—Sil.
 Caries of the mastoid—Aur. M., Caps., Nit. Ac., Sil.
 Carriage—Deafness > by riding in a train or—Nit. ac.

Catarrh of the tympanic cavity and eustachian tube—

Kali M., Nat. M.

Catarrhal affection of inner ear and eustachian tube

—Kali M., Merc. D. Sang.

Catarrhal inflammation of middle ear—Kali M., Merc.

Dulc.,

Catarrhal inflammation at beginning of cold in head
and closure of eustachian tube—Gels.

Catarrhal inflammation of ear from cold in head—Puls.

Cervical Glands—Humid tetter on ear with swelling
of—Kreos.

Cerumen—Increase secretion of thin—Sil.

Itching in ear with increase of—Cycl.

Want of or copious—Calc. C.

Cheese—Discharge from ear like rotten—Baryt. M.

Cheesy and bloody pus from ears—Hep. S.

Children—Earache of—Zinc.

Cleaned—Enjoyed having ear—Sil.

Cold Application—Earache by—Puls.

Cracking and snapping in ears on turning head—Caust.

Cracking and roaring in ears—Borax.

Cracking, echoes and reverberation in ears—Baryt. C.

Cracking in ears when chewing—Calc. C.

Closed—Deafness as if ear were—Verbas.

—Ears feel as if—Lach.

—Sensation as if external auditory canal was—Coc.

Up—Hardness of hearing as if ear were—Nat. C.

—Sensation as if ear opened and—Borax.

Cold—Ear symptoms <—Hep. S.

Air Was Pouring Into Them—As if—Mez.

Application—Earache > by—Puls.

Drink—Noise in ear and headache after—Kal. C.

—Earache from—Puls.

—Deafness from—Puls.

and rainy weather Deafness—Mang.

- Cold damp weather < in—Dulc., Puls.,
 —Earache from—Gels.
 Air—Pain in ear from—Acon.
 Coldness—Feeling of coldness of ears—Calc. Ph.
 —Sensation in ears of—Mere. S., Plat.
 Concussion—Deafness from—Arn.
 Congestion in ears—Op.
 Congestion of membrum tympanum—Fer. Ph.
 Confused—Hearing weakened and—Carb. an.
 Contact—Ear sensitive to—Hep. S.
 Contraction—Cramp-like in left meatus—Anac.
 Corrosive fetid discharge from ears—Ars.
 Cotton in ears—Deafness as if from—Cycl., Led.
 Cough—Pain in ear after—Caps.
 Coughing—Deafness > by—Sil.
 Cracks, fissures, eczema, and itching of ears—Graph.
 Cracked—Left ear cracked and desquamated—Comocl.
 Cracking in ears—During the night—Mur. Ac.
 on swallowing—Agar, Calc. C., Mang.
 when chewing—Calc. C., Nat. M.
 when blowing nose—Hep. S., Kal. M., Mang.
 when eating or sneezing—Graph.
 with accumulation of mucus—Am. M.
 with deafness—Pet., Psor.
 with reverberation—Lach.
 left ear with deafness—Ambra.
 ear with headache—Form.
 Cracking noise in head—Cof.
 Cramp-like pain in ear—Plat.
 Crickets—Singing in ear as from—Caust.
 Crawling, itching and tickling in ears—Amb.
 Crawling, itching, cutting or aching in ears, > by
 putting fingers in ears—Colocy.
 Crusts harden in outer canal of ear—Al., Sat.
 Crusts and pus on ears—Psor.

Cutting pain in ear with deafness—Fer. Ph.

Cutting sharp pain below mastoid—Kali., S.

Darting pain in ears—Hep., S.

Dam—Roaring, rumbling like water over a—Bry.

Damp weather—Ear symptoms < in—Dulc., Mang., Puls.

Stiches in ear in—Nat., S.

Deaf in left ear—Alet., Al., Sat.

Deafness—Calc. C., Cal. Ph., Caps., Kal. C., Kali M.,

Lyc., Merc. S., Phos., Caust., Cepa, Croc. t., Cup. M.,

Fer., Ars., Arg. N., Baryt. C., Form., Hyd., Guaiac.

after apoplexy—Hyos.

after acute exanthema or abuse of mercury—Carb., V.

after quinine—Calc. C., Gels.

associated with hepatic disease—Chel.

as if cotton were in ear—Cycl.

as if something were before ear—China, Mag. M.

as if ear were stopped up—Glon., Mang., Puls., Verbas.

at night—Cedron.

< by washing or changing of linen—Sil.

< by cold rainy weather—Dulc., Mang.

Catarrhal with pain from throat to middle ear—Gels.

due to trouble in eustachian tube—Iod., Kali M.

from working in water—Calc. C.

in right ear—Ham.

for human voices—Fl. Ac., Phos.

from swelling of internal ear and eustachian tube—Kali M.

from catarrh and swelling of eustachian tube < in warm room—Kali M.

from roaring in head—Sil.

from want of nervous perception—Kali Ph.

Deafness from concussion—Arn.

from catarrh eustachian tubes—Calc. C., Kali M.

from swelling of tympanic cavity—Nat. M.

> by riding in a carriage—Nit. Ac.

> by blowing nose and coughing—Sil.

in old people—Cicut. V., Kali Ph.

in children with enlarged tonsils and adenoids—Baryt. M.

of nervous origin—Kali Ph.

by blowing nose—Mang.

often sudden—Plumb.

Sudden at night with cracking and roaring in ears—Elaps.

Sudden and brief attack—Sep.

Sudden after catching cold—Elaps.

with discharge of matter from ear—Calc. S.

with dryness of ears—Graph.

with heat and pressure on top of head—Sul.

with sounds echoing in ears—Kali B.

with stuffy sensation—Kali M.

with very sensitive to external noises—Chenop.

with illusion of hearing—Crotal.

with hissing before ears—Dig.

with increase humming before ears—Dros.

with rheumatism—Fl. ac.

with cracking in left ear—Amb.

with roaring thundering noises in ear—Am. M.

with offensive discharge from ear—Asaf.

with delirium—Bapt.

with discharge from ear and tinnitus—Borax.

with buzzing, during and before menses—Kreos.

with dryness in ears—Lach

with noises in ear when tired—Pic. Ac.

Delirium with deafness—Bapt.

Desquamated and cracked left ear—Comocl.

Detonation in right ear when swallowing—Cic. V.

Devil whispers in ear—Anac.

Diffuse Otitis—Eczema with dry eruption—Carb. V.

Digging and burning in left ear with stoppage—Jacar.

Direction of sound—Cannot tell—Carb. An.

Discharge bland from ear, with postnasal catarrh—Hyd.

excoriating from ears—Calc. Ph.

excoriating of blood and pus—Rhus. T.

gluey and sticky at external meatus—Graph.

fetid and ichorous—Kali, Ph.

ichorous and cadaverous smelling from ear—Ars.

and corrosive from ears—Ars., Iod.

from ears—Fer.

from ear bland and yellow—Calc. C.

from ear like rotten cheese—Baryt. M.

of water and bad-smelling pus—Cist. C.

of blood from ear—Bry.

of blood and pus from ear—Graph.

of blood and pus with swelling of external ear—Sil.

of blood and pus from ears—Petrol.

of pus from ear—Carb. V., Hep. S.

of thin water from ear—Sep.

of pus from ear which itches—Am. C.

of yellow pus from ear—Caps., Kali S.

offensive and ichorous purulent—Lyc.

offensive from ears—Asaf., Caust., Calc. C., Elaps.

offensive with granulations—Alum.

purulent from ears—Arundo, China, Hep. S., Merc. S.

purulent, green, excoriating and offensive—Merc. S.
thin, ichorous and offensive like rotten meat—Psor.

84 HOMEOPATHIC THERAPEUTICS

Discharge tenacious, green, muco-purulent—Hyd.

with tearing pain—Colch.

watery, yellowish and greenish—Elaps.

with tinnitus and deafness—Borax.

Dragging pain in ears—Caust., Guaiac.

Drawing pain in ear—Baryt. C.

pain in right internal ear—Cycl.

painful in left meatus—Anac.

Drumming in ears—Lach.

in ear upon which is lying—Cup. M.

Dryness in ears—Carb. V., Graph.

Ear—Acute thrusts of pain in internal and external—
Bell.

behind sore—Psor.

bleeding ulceration of external—Bufo.

inflammation of inner or outer—Calc. C.

right one, mass of crusts and pus—Psor.

soreness extending from throat to—Bell.

tearing in right side of face—Bell.

troubles in scrofulous children—Merc. D.

Earache—Bell., Cepa., Cham., Fer. Ph., Hep. S., Nat.
Sulph.

< by blowing nose—Calc. C.

from cold—Gels.

left side—Lith. C.

preventing sleep—Fer. Ph., Dulc.

with toothache—Plant.

headache, singing in ears, with vertigo—Sang.

Eating—Cracking in ears when—Graph.

Echoes, Cracking, reports and reverberations in ears
—Baryt. C.

in ears, sounds—Kali Br.

Eczema of auricle, skin raw and burning—Ars.

behind ears—Graph., Tel.

Eczema of ears with thick crusts and fissures—Graph.

Lyc.

moist, cracked, fissures of ears—Graph.

Scabby behind ears—Psor.

with watery oozing—Kali Bi., Graph.

Eructation—Snapping in ears after—Graph.

Eruption and swelling of external ear—Sepia.

burning and suppurating behind ears—Cic. V.

damp and moist behind ears—Calc. C., Graph.

deaf after suppression of—Mez.

in and behind ears—Baryt. C.

moist on and behind ear—Ant. C., Caust., Graph.

on and around ears—Cist. C.

on external ears—Cinnab., Kali Bi.

on ear dry, or may be moist, yellow and fetid—Carb.

V.

humid on ears—Kreos.

oozing behind ears—Mez.

vesicular on ears—Tel.

vesicular on ears with itching—Merc. S.

Erysipelatous inflammation of external and internal ear—Rhus T.

Eustachian tube, abnormal patency of—Baryt. M.

catarrh of—Calc. C., Eryn. aq., Fer. Ph., Iod., Kali

M., Kali S., Mang., Merc. D., Nat. M., Pet., Sang.

beginnings with cold in head with closure of—Gels.

deafness from catarrh of—Iod., Kali M., Merc. D.,

Puls.

feel obstructed—Nit. Ac., Pet.

inflammation of—Eryn. Aq.

jerking pains from throat to—Cepa.

mouth of hypertrophied—Ars. I.

obstruction of—Kali M., Kali S.

occluded with enlarged tonsils—Merc. S.

pain in, as from foreign body—Nux M.

- Eustachian tube, pain in—Pet.
 stoppage and obstruction of—Lach.
 tickling in right—Calc. C.
- Exanthema—deafness after acute—Carb. V.
- Excoriated meatus with pustular eruption—Carb. ac.
- Excoriating discharge smelling like fish pickle—Tel.
 discharge of blood and pus from ear—Rhus T.
 discharge from ears—Calc. Ph.
- Excoriation and soreness of inner ears—Merc. S.
- Exertion—Earache and deafness and after over—Sil.
- Exfoliation of epithelial layers of membrum tympanum—Kali M.
- External ear-eruption and swelling of—Sep.
 ear—hot, red and swollen—Acon.
 ear—increase redness of—Sang.
 ear—moist eruption on behind—Ant. C., Graph.
 ear—painful—Fl. Ac., Mang., Pet.
 ear—raw, red, oozing and scabby—Psor.
 ear—redness, heat and itching of—Kali Bi.
 ear—sore, burn and itch—Nat. Ph.
 ear—sensitive—Form.
 ear—swelling of with discharge of blood and pus—Sil.
- Feeling of obstruction in ears—Caust.
- Fissures, cracks, eczema of ear—Graph.
- Fetid corrosive discharge from ears—Ars., Iod.
 discharge from ears—Ars., Fer.
 ichorous purulent discharge from ear—Nit. Ac.
 otorrhea with caries—Aur. M.
 purulent otorrhea—Sal. Ac.
 pus from ears—Hep. S., Merc. S., Zinc.
 yellow moist eruption on ears—Carb. V.
- Fever—Otitis after scarlet—Apis.
- Finger in ear—Pain relieved by putting finger in ear—Colocy.

- Fish pickle—Thin watery excoriating discharge smelling like—Tel.
- Flapping in ears as if from wings—Jacar
- Fluttering in right ear—Mag. Carb.
twitching and rattling in tympanic cavity—Agar.
- Fly—Buzzing like a fly in ear—Kali Ph.
- Foul-smelling pus from ear—Eryn. Aq., Kali Ph.
- Frost-bitten—Burning heat in ears after—Caust.
Itching, redness and burning as if—Agar.
Tingling in ears as if—Colch.
- Fullness and throbbing in ears—Can. Ind.
and ringing in ears—Arg. N.
in ears—Æscul., Crotal., Mang.
sensation of fullness in and around ears—Glon.
- Furuncle in the ear—Anac., Calc. Pic., Pic. Ac.
- Gaping—stoppage of ear > by—Sil.
- Glands behind ear swollen—Baryt. C., Graph.
enlarged with discharge from ears—Calc. C.
swollen—Merc. S.
swollen and cracking noise in ears—Kali M.
- Gouty concretions in the auricle, very painful—Berb.
- Granulations and exuberant polypoid growth—Hyd.
excessive in auditory canal—Kali M.
in ear—Calc. C.
in ear with offensive discharge—Alum.
of middle ear—Thuja.
- Green discharge from ear—Hep. S., Merc. S.
offensive and excoriating discharge from ear—Merc. S.
- Greenish, yellowish, watery discharge from ears—Elaps.
- Hemorrhages from ears—Tendency to—Fer. Ph.
from slightest touch—Hep. S.
from ears—Cic. V., China, Crotal., Op.

Hair cut—Inflammation and deafness of ear from having—Led.

Hallucinations of hearing—Anac., Stan.

Hardness of hearing—(See deafness)

as if stuffed with cotton—Led.

often sudden—Plumb.

with noises in ear—Psor.

with roaring and other noises—Nux V.

with hissing before ears—Dig.

and ringing in ears—Mag. C.

with ringing and roaring in ear—Agnus. C.

with buzzing in left ear—Cof.

Head—Ringing in ears on moving—Staph.

Hearing acute—Agar., Cof., Colch.

dull—Caps.

hardness of in old people—Cic. V., Kali Ph.

sensitive—Cicut. V., China, Murac.

hardness of as if ear were closed up—Nat. C.

sensitiveness of—Coni., Hyper., Nat. C., Nux M., Spig.

extreme sensitiveness to loud sounds—Bell.

weak and confused—Carb., An.

Heart—Noises in ear as if from—Glon.

Beating of: reverberations in ears from—Bufo.

Heat and itching deep in ear—Carb. V.

and burning after frost bite—Agar., Caust.

and rash about ears—Ars.

and redness of one ear—Alum.

and redness and itching of external ears—Kali Bi.

and tension in the ear < by heat—Ant. C.

tension and throbbing in ears—Fer. Ph.

Hissing and humming in ears with hardness of hearing—Sul.

before ears with hardness of hearing—Dig.

Hissing in left ear—Gamb.

sounds in ears—Graph., Hep. S.

Horn—Sounds in ear like blowing a horn after crack-
ing in head—Kalmia.

Hot and red—Ear lobe—Camph.

and red every evening—Left ear—Carb. V.

blood rushed into ears—Sensation as if—Lyc.

ear, red, painful and—Cham.

Ears very—Caps.

Ears frequently are itching and are red and—Nat. Ph.

External ear, red, swollen and—Acon.

Sensation as if something hot was streaming from
Æthus.

Humming < by warmth—Ars.

and beating in ears—Carb. ac.

and buzzing before ears with deafness—Arn.

and roaring in ears—Cep.

and roaring in ears from increase circulation—Sang.

and roaring in ears causing deafness < by stooping—
Croc.

and whirring in ears at night like spinning wheel—
Agar.

before ears with deafness—Dulc., Dros.

in ears—Acon., Anac., Chel., Fer., Graph., Kali Ph.,

Nat. M., Psor.

roaring and whistling in ears—Alum.

ringing and buzzing in ears—Coca.

in ears before and during menses—Kreos.

in ears and loud sounds followed by deafness—
Sep.

or tinkling on moving head or body—Puls.

Hyperæsthesia of auditory nerve—Nux V.

Ichorous otorrhea—Carb. an.

purulent and offensive discharge—Lyc.

90 HOMEOPATHIC THERAPEUTICS

Illusions of hearing with deafness—Anac., Crotal., Cham.

Inflammation, acute, of ears, with terrific pain—Bell. acute in ears—Cham.

of ear in early stage—Fer. Ph.

of ear threatens to extend to meninges—Bell.

of ear with muco-purulent discharge—Calc. C.

in ear with fever and excruciating pain—Acon.

of inner and outer ear—Calc. C.

Insects in ears—Whizzing as if from—Lach.

Intermittent pains in ears < by warm room or bed—Nux V.

Intolerance of noise, especially of music—Phos. Ac.

Itching and burning in canals of ears—Arundo.

and heat deep in ears—Carb. V.

and tickling in left ear—Anagal.

behind ears—Mag. M.

corrosive itching and scratching in ears until bleeds—Arg. M.

crawling and tickling in ears—Amb.

crawling, cutting in ears > by putting finger in ear—Colocy.

excessive in ear—Sep.

heat and redness of external ears—Kali Bi.

in ears—Baryt. C., Hep. S., Psor., Sil.

in ears: intolerance of—Elaps.

in ears intense with desire to bore into them—Mez.

in ears intolerable in both ears—Fl. Ac.

in ears pains when trying to relieve it—Sul.

in ears with increase cerumen—Cycl.

in ears with vesicular eruption—Merc. S.

redness and burning in ears as if frost-bitten—Agar. ears burn and are—Nat. Ph.

Jaw—pain in ear < by moving—Lach.

Tearing or stitches in ears < by moving—Nux M.

Jerking in external ear—Cura.

Jumping of the tensor tympani—Agar.

Knocking in ears—Mur. ac.

Labyrinth—Inflammation of, after cerebro-spinal meningitis—Sil.

Laughing—Stitches in ear when—Mang.

Left ear—Boring pain behind—Aur. M.

Cracked and desquamated—Comocl.

Cracking with headache—Form.

Deaf—Alet.

External meatus swollen and inflamed—Kali Bi.

Hot and red every evening—Carb. V.

Pain in bone behind—Lith. C.

Particularly affected in ear troubles—Borax

Ring in—Gamb.

Shooting pain in—Sil.

Spasmodic twinging pain deep in—Crot. t.

Stitches in and left parotid gland—Kali Bi.

Stoppage and heat in with boring digging pain—Jacar.

Swollen in and out, tender to pressure—Eryn. Aq.

Violent throbbing in—Baryt. C.

Loud—Speaks low because own voice sounds—Caust.

Lying before ears—Deafness as if something were—Mag. M.

Machinery—Roaring in ear like—Hyd.

Mastoid—Caries of—Aur. M., Nit. Ac., Sil.

Periostitis of—Caps., Carb. An., Calc. Fl., Hep. S., Sil.

Swelling over the—Caps.

Tearing pain in right ear and—Canth.

Tender to touch—Caps., Hep. s.

When pressed feels bruised—Caps., Cina, Heps.

- Mastoiditis**—Caps., Hep. s., Kali I.
with chronic suppuration—Ars.
- Measles**—Deafness after—Puls.
- Meat**—Watery purulent discharge smelling like putrid
—Thuja.
- Meatus**—Cramp-like contraction in left—Anac.
excoriated with postular eruption—Carb. ac.
excoriated by discharge—Lyc.
of left ear swelled and inflamed—Kali Bi.
Painful drawing in left—Anac.
Pustules at—Hep. S.
red and narrow—Acon.
sensation as if air were distending—Mez.
Stopped feeling in—Anac.
Swelling of external—Cup. M.
swollen and inflamed—Pet.
- Membrum tympanum**, purplish and bulging—Hyd.
tympanum reddened—Bell., Fer. Ph., Graph.
retracted—Kali M., Merc. D.
- Ménière's disease**—Arn., Kalmia, Sal. Ac., Sil.
tending to fall to left side—Sal. Ac.
- Meningitis**—Inflammation of labyrinth after—Sil.
- Menses**—Deafness before and during—Kreos.
Buzzing, humming in ears during and before—Kreos.
Sensitiveness of hearing during—Hyos.
- Menstruation**—Vicarious from ears—Bry.
- Mercury**—Deafness after abuse of—Nit. Ac., Staph.
Otorrhoea after abuse of—Sil.
- Moist damp eruption behind ears**—Ant. C., Calc. C.,
Graph.
- Moisture in ears**—Graph.
redness and soreness behind ears—Pet.
- Morning**—Cracking in ears < in—Graph.
Great sensitiveness to little noise in—Fl. ac.
Noise in ear < in—Nux V.

Morning—On getting up, both ears ache in the—
Form.

Pain in ears in—Mang.

Mucus accumulation in ear with crackling—Am. M.
accumulation of in the ear—Teuc.

When blowing nose sounds like air passing through
mucus—Teuc.

Music causes weeping—Graph.

drawing pain and stitches in ear from—Phos. ac.

Intolerance of noise, especially—Phos. Ac., Sep.

Reverberation in ears of—Phos.

Sensitive of hearing to—Lyc.

Moving head or body—humming and tickling in ears
on—Puls.

head—ringing in ears—Staph.

Nausea, earache and buzzing < at night and when still
—Dulc.

Nervous deafness—Phos., Plat., Sal. Ac.

deafness after typhoid fever—Phos. Ac.

exhaustion—Noises in ear from—Kali Ph.

otalgia—Mag. Ph.

perception—Deafness from want of—Kali Ph.

Neuralgia of ear and surrounding part—Acon., Mag.
Ph.

of ear extending to eye, zygoma, jaw and teeth—
Spig.

of middle ear, tearing and cutting pain—Zinc

in ears periodical—Gels.

Neuralgic pains in ears—China

Night—Deafness at—Ced.

Loud crackling sounds in ear at—Mur. Ac.

Severe pain in ear at—Puls.

Sudden deafness at—Elaps.

Nose—Blowing < earache—Calc. C.

Blowing causes cracking in ears—Hep. S.

- Nose—Cracking in ears on blowing—Kali M.
 Deafness > by blowing—Sil.
 Fine singing in ear when blowing the—Teuc.
 Ringing in the ear when blowing the—Carb. An.
 Nocturnal roaring, ears feel stuffed—Graph.
 Noise and ringing in ears of sensitive people—Cof.
 Averse to—Bell., Cof. Mur. Ac.
 Before ear like boiling water—Dig.
 Cracking in head—Cof.
 Hardness of hearing with—Nux V.
 Hears better in a—Graph.
 in ears—Phos., Puls., Spig.
 in ears like rushing water—Cocul.
 in ears ringing and roaring—Bell.
 in ears caused by rush of blood to head—Arn.
 in ears continuous during the night—Zinc
 in ears from blood pressure—Fer. Ph.
 in ears with headache after cold drink—Kali C.
 in ears from nervous exhaustion—Kali Ph.
 in ears as from ringing a bell—Led.
 in ears pain and whizzing—Mang.
 in ears < in the morning—Nux V.
 in ears—Deafness with—Pet., Sal. Ac.
 in ears with vertigo and headache—Pic. Ac.
 in ears—Sensitive to—Cham., China, Calad., Bufo.,
 Bor., Apis., Mur. Ac., Nat. C., Aur. M., Sep., Sil.,
 Stan., Alum, Iod.
 in left ear as from heat—Glon.
 of great variety in ears—Plat.
 Roaring in ears like distant—Puls.
 in ears roaring and thundering—Am. M.
 in ears sudden and crashing on falling asleep—Dig.
 sensitiveness in morning to little—Fl. ac.
 startles—Coni.
 Numbness of bones around ears—Fl. Ac.

Obstruction of eustachian tubes—Kali. M., Nit. Ac.,
Phyt.

in ears—Feeling of—Caust.

Offensive blood from ears—China. (See Fetid)

brown secretion from right ear—Kali S.

discharge from ears, with granulations—Alum

discharge from ears—Asaf., Calc. C., Caust., Psor.,
Sil., Elaps., Graph.

discharge, ichorous—Psor.

ear wax—Caust.

green excoriating discharge—Merc. S.

purulent and ichorous discharge from ear—Lyc.

pus from ears—Baryt. M.

Odor bad from ears—Graph.

Old people—Atrophic condition of ear in old people—
Kali Ph.

Hardness of hearing in—Baryt. C., Cinct. V., Kali
Ph.

Open and closed—Smacking sensation as if ear—Bor.

Ears feel as if open from one to the other—Alet.

Ears feel as if too—Mez.

air or outdoor, roaring in ear > in—Puls.

Opens—Ear 'on swallowing—Alum.

Otalgia (See earache)—Arg. N., Bell., Elaps., Guaiac.,
Graph., Mag. Ph., Mur. ac., Nat. S., Phos. Ac.,
Plat., Puls., Plant., Rhus T., Sep., Sil., Spig.

chronic with toothache—Sep.

drawing pain in cheeks and stitch in ears from music
—Phos. Ac.

pain violent as from something being forced out of
ear—Puls.

pressing pain as from a plug in ear—Spig.

purely nervous—Mag. Ph.

spasmodic—Guaiac.

with cramp pain—Plat.

- Otalgia with pressing pain—Mur. Ac.
 pulsation in ears at night—Rhus T.
 with terrific pain—Bell.
 with toothache—Plant.
- Otitis after scarlet fever—Apis
 externa—Fl. ac., Pic. Ac.
 with fetid corrosive discharge—Ars. I.
 with sickly children, with great tenderness of head—
 Kali Iod.
- Otorrhœa (See discharge).
 after measles—Colch., Psor.
 after frequent otitis—Baryt. M.
 after scarlet fever—Baryt. M., Crotal.
 copious—Fl. Ac.
 fetid, ichorous and purulent—Carb. an., Nit. Ac.
 of fetid pus—Zinc, Sal. Ac.
 fetid with caries of bones—Aur. M.
 offensive, purulent and ichorous—Carb. V., Lyc.
 offensive, watery and curdy—Sil.
 purulent—Alum, Kali Bi., Hep. S., Merc. S.
 scrofulous—Ant. C.
 stinking—Kali S.
 with purulent ulceration and bleeding of externa.
 ears—Bufo.
- Out—Violent pain in ear as from something forced out
 —Puls.
- Over-sensitiveness of hearing—Nux M., Sang., Sil.
- Pain—acute thrust of pain in ear—Bell.
 in morning and open air—Mang.
 and whizzing noises pain in ear—Mang.
 behind ear as from a blow—Cic. V.
 boring behind left ear—Aur. M.
 boring in ears—Kali Iod.
 bruised in ears—Arn.
 burning in auricles—Clem.

- Pain—Cutting in ear with deafness—Fer. Ph.
 darting in ears—Hep. S.
 deep in left ear < by moving jaw and external
 warmth—Lach.
 —Discharge from ear with tearing—Colch.
 drawing in cheeks and stitches in ear from music—
 Phos. Ac.
 digging in ear—Caust.
 digging in right internal ear—Cycl.
 drawing in ears—Baryt. C.
 dull in ears with humming and deafness—Dulc.
 drawing, shooting < at night and change of weather
 —Sil.
 dull throbbing in ears night and morning—Tel.
 excruciating in ear with fever—Acon.
 from throat to ear with catarrhal deafness—Gels.
 gouty concretions in the auricle with tearing—Berb.
 frequent neuralgic in ears—China
 jerking from throat to eustachian tubes—Cepa.
 severe deep in ear—Tel.
 in ear after every cough—Caps.
 in ear as if something were trying to force out—
 Caust.
 in ear when swallowing—Ailan.
 in ear < by draught of cold air—Acon.
 in ear by cold water washing—Bufo.
 in ear from riding in cold wind—Ars. I.
 in ear on swallowing—Elaps., Paris Q.
 in ear when swallowing and blowing nose—Baryt. M.
 in ear with sore throat—Lach.
 in ear with pain in teeth and face—Plant.
 in right ear—Acon., Aur. M., Bell., Colc., Fer. Ph.,
 Graph., Hep. S., Lyc.
 in right ear from teeth—Mang.
 in right internal ear as if pressed together—Dros.

Pains in eustachian tube as from foreign body—Nux M.

intermittent in ear < by going into warm room or bed—Nux V.

pinching in ears—Coni.

pressing in front of ear—Crot. T.

severe in ear especially evening and night—Puls.

severe in ears—Psor.

sharp, cutting, pressing below the mastoid—Kali S.

shooting in ears—Æscul.

shooting through both ears, when swallowing—Phyt.

shooting with discharge of blood—Arundo.

spasmodic twitching in left ear—Crot. T.

sticking in ear—Dros.

tearing in ears—Arg. N.

tearing and shooting in ears—Merc. S.

tingling and creeping with cold pain from ear to top of head—Mur. Ac.

under the right ear—Kali S.

violent involving teeth and face—Mez.

external ear—Pet.

red and hot ear—Cham.

to touch—External ear—Mang.

Painless attacks of deafness at night with roaring and crackling in ears—Elaps.

Paralysis of auditory nerve—Glon., Kali Ph.

ringing in ear and deafness with—Sil.

Parotid gland—Painful swelling of—Dig.

Stitches and swelling of—Sep.

Stitches in left ear and left—Kali Bi.


Suppuration of—Calc. C.

Swollen and painful—Aur. M., Merc. S.

Swelling of—Cham., Sil.

Parotitis—Baryt. M., Cist. C., Calc. C., Carb. An., Carb. V., Fer. Ph., Rhus T.

- Parotitis after scarlet fever—Baryt. C.
 especially of the right side—Kali C.
 and caries of mastoid—Caps.
 Paroxysms of pain in ear at night—Puls.
 Periodical deafness—Spig.
 Periodical neuralgia in ear—Gels.
 Periosteum of ear inflamed—Merc. S.
 Periostritis of the mastoid—Caps., Carb. An.
 Plug—Pressing pain in ear as from a—Spig.
 Shutting of ear as if stopped with a—Lob.
 Plugged up—Sensation as if ears were—Asar.
 Pimples around the ear—Calc. Ph.
 Polypi of the ear—Calc. C., Kali S., Lach.
 Pressed together—Pain in right internal ear as if—
 Dros.
 Pressing in ears as if tympanum were pressed out—
 Nat. S.
 pain in ears from a plug—Spig.
 Pressure and shocks in ear—Nux V.
 and uncomfortable stopped feeling in ear—Caust.
 —Ear tender to—Eryn. Aq.
 in ears—Æscul.
 Proliferation in middle ear—Kali M.
 Pulsation in ear—Mag. M.
 in ear with early stage of inflammation—Fer.
 Ph.
 Pulsating pain in ears at night—Kali Bi., Puls., Rhus
 T., Zinc
 Purulent discharge from ears—Alum. Arundo, China,
 Hep. S., Hyd., Kali Bi, Kal. C., Nat. M., Pet.,
 Psor., Sul.
 fetid otorrhœa—Sal. Ac.
 watery discharge smelling like putrid meat—Thuja
 Pus and blood discharge from ear with swelling of
 external ear—Sil.



**Pus and blood discharge from ear—Graph., Hep. S.,
Pet., Sulph.**

and blood discharge from ear, foul, excorroding—
Rhus T.

discharge of, from ear—Am. C., Carb. V., Cep., Nat.
M.

cheesy and blood from ear—Hep. S., Psor.

watery, bad-smelling from ear—Cist. C.

yellow from ear—Kali C., Kali S.

Pustular eruption on meatus—Carb. Ac.

Quinine—Deafness after—Calc. C., Gels.

Roaring in ears from—Ced.

Rain—Pain in ear before—Nux M.

Rainy weather < Deafness—Dulc., Mang.

Rash and heat about ears—Ars.

Rattling, fluttering and twitching in tympanic cavity--
Agar

Raw and burning of skin of external ear—Ars.

Red and hot ear lobes—Camph.

and hot ear every evening—Carb. V.

and hot ear—Cham.

ear from congestion—Glon., Nat. M.

Ear gets red when scratched—Ailan.

Reddened—Membranum tympanum—Fer. Ph.

Redness and heat of one ear—Alum

and soreness of external ears—Mag. C.

and swelling of ears—Apis.

burning, itching of the ears as if frost-bitten—Agar.

heat and itching of external ear—Kali Bi.

of external ear—Sang.

soreness and moisture behind ears—Graph., Pet.

Reports in ears—Staph.

reverberation and cracking in ear—Baryt. C.

Reverberation of all sounds, even own voice and steps
—Caust.

in ears of sounds—Baryt. C., Graph., Kali Bi., Phos.

in ears of his own voice—Caust., Phos.

Rheumatic otitis—Led.

Hardness of hearing with—Fl. Ac.

Right ear—Brown offensive secretion from—Kali S.

ear—Drawing pain in—Cycl.

ear—pain in, from teeth—Mang.

ear—pain under—Kali S.

ear—Soreness of—Bapt.

ear—Stitches in and behind—Kalmia.

ear—Tearing pain extending from, to teeth—Chcl.

ear—Whizzing, buzzing and fluttering in—Mag. C.

internal ear—Pain in as if pressed together—Dros.

side—All ear symptoms < on—Form.

Ringing and buzzing in ears—Baryt. C., Form.

and fullness in ears—Arg. N.

and hardness of hearing—Mag. C.

and roaring in ears—Agn. C., Bell., Canth., Calc. C.,

Cocul., Camph., Kali Br.

and whizzing in ears—Led.

buzzing and humming in ears—Cocca.

in ears—Arg. N., Bell., Baryt. C., Calc., Camph.,

Canth., Carb. An., Carb. V., Chenop., China, Fl. Ac.,

Glon., Graph., Merc. S., Nat. M., Nux M., Nux V.,

Zinc.

in ears < by warm—Ars.

in ears—as from bells—Clemat., Nat. S., Pet.

in ears of sensitive people—Cof.

in ears, on moving head—Staph.

in ears when blowing nose—Carb. An.

in ears as if stopped up—Nux M.

102 HOMEOPATHIC THERAPEUTICS

Ringing in left ear—Gamb.
 in right ear—Æscul.
 or roaring in ears—Sil.
 roaring, whizzing or singing in ears—Kali C.
 rolling, rumbling sounds in ears—Plat.
 Sensation of distant—Spig.
 singing, humming, buzzing, and roaring in ears—
 Coni.
 Roaring and bubbling in ears like teakettle boiling—
 Agar
 and buzzing from rush of blood to head—Fer. Ph.
 and buzzing in ears—Euph.
 and cracking on swallowing—Agar, Bor.
 and cracking in ears with sudden deafness at night—
 Elaps.
 and humming in ears—Cepa., Sang.
 and humming in ears by stooping—Croc.
 and ringing in ears—Agar C., Calc. C., Gels.
 and surging in ears on shaking head—Calc.
 and throbbing in ears—Colocy.
 and whistling in ears in the afternoon—Ambr.
 humming and whistling in ears—Alum.
 like the sea in ears—Baryt. C.
 or ringing in ears—Coccul.
 ringing, humming in ears < by warmth—Ars.
 or noises in the ears—Bell.
 humming, singing, buzzing in ears—Coni.
 singing in ears—Camph.
 and humming in ears—Cycl.
 rumbling like water over a dam—Bry.
 singing, buzzing in ear—Caust.
 in ears—Asar., Chenop., Cinnab., Colch., Fer. Iod.,
 Graph., Kali C., Lyc., Nat. C., Op. Pet.
 as from rushing water—Cham.
 as from wind storm—Chel.

Roaring at night synchronous with pulse—Kali Bi.
beginning in evening and lasting through the night—

Coccus C

from quinine—Ced.

from rush of blood—Phos.

intolerable—Acon.

like machinery—Hyd.

> out of doors—Puls.

with difficult hearing—Phos. Ac., Sal. Ac.

with mental confusion—Bapt.

of wind in ear—Sounds as if—Pet.

or ringing in ears—Sil.

Room—Deafness > in warmth—Puls.

Pains in ears < by warm—Nux V.

Rotten cheese—Discharge from ear like—Baryt. M.

Rumbling, roaring in ears like water over a dam—Bry.

Rustling and thundering in ears—Lach.

Rushing, buzzing and humming in ears—Aur. M.

in ears—Lyc.

of blood—Roaring of ears from—Phos.

roaring in ears—Gels.

ringing, hissing, humming in ears—Graph.

roaring, singing, buzzing in ears—Hyos.

water in ear—Sounds of—Pet.

water or wind in ear—Sound of—Puls.

Sensation as if wind blew into ears—Staph.

as of skin before ears—Asar., Graph.

something before ears on swallowing—Alum.

as if ears were stopped—Chel.

external auditory canal were closed—Coc. C.

ears were plugged up—Asar.

ear opened and closed—Bor.

something hot was streaming from ear—Æth.

as of fullness in and around ears—Glon.

104 HOMEOPATHIC THERAPEUTICS

- Sensation as if wind rushing through ears—Chel.
 something before the ear—Calad.
- in ears like a sound of confused voices—Benz. Ac.
- Scratching of ear until it bleeds—Arg. M.
 of linen or silk, ear sensitive to—Asar.
- Scrofulous ear diseases—Baryt. C.
- Scurf behind ears—Graph., Lyc.
- Sea—Roaring in the ear like the—Baryt. C.
- Sensitive of hearing—Cic. V.
 to noises—Apis., Ars., Bor., Cal., Cham., Chenp.,
 China, Cof., Fer. Ph., Sil., Spig., Stan.
 noises > by music—Aur. M.
- shrill sounds—Calc. C.
- open air: Ears—Cham.
- sounds: Ears—Fer. Ph.
- wind: Ears—Caust.
- Sensitiveness of bones of ear to change of tempera-
 ture—Nit. Ac.
 in morning to little noises—Fl. ac.
- of hearing—Bell., Coc., Coni., Nat. C., Nux M.
- of hearing for human voice—Over—Sul.
- of hearing, especially music and noises—Lyc.
- of external ear—Form.
- of hearing to scratching linen or silk—Asar.
- of hearing to sounds—Arn.
- to Noise—Iod., Nat. C.
- especially music—Sep.
- to all sounds—Gels.
- Shaking head, singing sound roaring in ear on—Calc.
 C.
- Shocks in ear like distant artillery—Bad.
 in ears—Nux V.
- Shooting and tearing pains in ears—Merc. S.
 pain in ears with discharge of blood—Arund.
- pain in ears, especially right when swallowing—Phyt.

- Shooting pain in ears—Æscul.
 pain in ears at night—Puls.
 pain through ear—Hyper.
- Singing and roaring in ear on shaking head—Calc. C.
 as of crickets in ears—Ced.
 cracking, humming, buzzing and ringing in ears—
 Psor.
- in ears—Fl. ac., Kali C., Kali I.
 in ears as from boiling water—Lyc.
 in ears with vertigo—Stan.
 in ears when blowing nose—Teuc.
 roaring, ringing in ears—Camph.
 roaring, humming, and buzzing in ears—Caust.
 Coni.
 rushing, buzzing in ears—Hyos.
- Skin—Was stretched over ears, sensation as if—Asar.,
 Graph.
- Sleep—Sudden crashing noise in ears on falling to—
 Dig.
 earache preventing sleep—Dulc.
 Buzzing roaring in ears, cannot—Euph.
- Smacking sensation as if ear opened and closed
 —Bor.
- Smelling—Cadaverous-smelling discharge from ear—
 Ars.
- Snapping in ears after eructation—Graph.
 and cracking in ear on turning head—Caust.
- Sneezing—Cracking in ears when—Graph.
- Soreness behind ears with crusts—Graph., Psor.
 extending from throat to ear—Bell.
 of right ear—Bapt.
 of ear to lie on—Mang.
 redness and moisture behind ears—Graph., Pet.,
 Psor.
- Sounds affects painfully—Nux V.

106 HOMEOPATHIC THERAPEUTICS

Sounds and words, especially music, reverberate in ears—Phos.

in ears—Æth., Sil.

in ears like a valve—Agar.

in ears, as roaring of wind and rushing of water—Pet.

loud and humming in ears followed by loss of hearing—Sep.

painfully sensitive to sudden—Sang.

sensitive to—Am., Gels., Lach.

Spasmodic twinging pain deep in left ear—Crot. T.

pain in ear—Guar. Ac.

Startles at noises—Coni.

Starch—Left ear desquamated and like—Comocl.

Sticking and burning deep in ears—Merc. S.

pains in ear from within out—Kali C.

pains in ears—Dros.

Sticky, gluey discharge of external meatus—Graph.

Stinging in ears—Acon.

from external meatus to internal ear—Kali Bi.

Stitches and tearing in ears—Plumb.

below mastoid—Cina.

extending from throat to ear—Calc. C., Phyt.

from within out—Kali C.

in ears—Æth., Colcy., Dulc., Fer. Ph., Staph., Sil.

in ears from a draught of air—Camph.

in ear, frequent—Cham.

in left ear and left parotid gland—Kali Bi.

in ear when talking, swallowing or walking—Mang.

in and behind right ear—Kalmia.

in ear when talking, swallowing, laughing or walking—Mang.

lightning-like < damp weather—Nat. S.

paroxysmal in ears—Caust.

and tearing in ears—Agar.

- Stitches of pain in deaf ear—Mang.
 or tearing in ears—Nux M.
 pressure and shocks in ear—Nux V.
 Stitching, cutting, crawling in ear > by putting finger
 in ear—Colocy.
 pain in ear with catarrh of eustachian tube—Mang.
 pain from ear to teeth, neck and shoulder—Nat. M.
 Stooping—Humming, roaring in ear < by—Croc.
 Stoppage of ears > by gaping and swallowing—Sil.
 of ears when eating or blowing nose—Sul.
 of ears which open with a loud report—Sil.
 Stopped up feeling in meatus—Anac.
 up—Deafness as if ear were—Glon.
 up—Ears feel as if—Bry., Carb. V., Phos.
 up feeling and uncomfortable pressure in ears—
 Caust.
 Stopped—Sensation as if ear were loosely—Spig.
 up—Sensation as if ear were—Chel., Coni., Merc. S.,
 Nux M., Puls.
 Stove—Burning in ears as if near a—Mang.
 Stuffed feeling in ear—Alet.
 Stuffy sensation in ear with deafness—Kali M.
 Stupefaction to distant sounds from mental or bodily
 exhaustion—Phos. Ac.
 Stupor with suppurating otitis—Arn.
 Suppuration of ears with mastoiditis—Ars., Caps.,
 Hep. S.
 of ears with suppurating tonsils—Baryt. C.
 of parotid gland—Calc. C.
 Sudden and brief attack of deafness—Sep.
 temporary loss of hearing—Gels.
 Swallowing—Cracking in ears when—Agar, Alum,
 Baryt. C., Calc. C., Mang.
 Detonation in right ear when—Cic. V.
 Ear open on—Alum

108 HOMEOPATHIC THERAPEUTICS

- Swallowing obstruction in ear > by—Merc. S.
 Pains in ears on—Ailanth., Baryt. M., Elaps., Paris
 Sensation in ears like confused voices when—Benz.
 Ac.
 Shooting pains through ears when—Phyt.
 Stitch in ear when—Mang.
 Stoppage of ears > by—Sil.
 Swelling and redness of ears—Apis
 extending from ear across face—Cist. C.
 of external ear with discharge of blood and pus—
 Sil.
 in front of ear sore to touch—Calc. C.
 of both ears with moist eruption behind—Graph.
 of external ear, especially of children—Zinc
 and eruption on external ear—Sep.
 of internal ear and eustachian tubes—Kali M.
 of meatus externus—Cup. M.
 of inner ear—Cist. C.
 knotty behind ears—Baryt. C.
 over mastoid—Caps.
 of parotid—Cham., Sil.
 Swollen and painful gland behind right ear—Baryt. C.
 external ear—Acon.
 and uncomfortable—Parts feel—Form.
 Left ear, in and outside—Eryn. Aq.
 Lobule of ear—Rhus T.
 Syphilitic deafness—Kal. I., Kreos., Nit. Ac.
- Tearing in ears—Kali C., Zinc
 and shooting pains into ears—Merc. S.
 and stitches in ears—Agar., Plumb.
 and stitches and external swelling of ear—Zinc
 downward in middle and external ear—Bell.
 extending from right ear to teeth—Chel.
 Tearing pain extending from right ear to—Chel.

- Tearing extending from zygoma into ears—Lach.
in left ear—Guaiac
in right ear and mastoid—Canth.
in right ear—Ambr.
in right ear and side of face—Bell.
or stitches in ears—Nux M.
pain in ears—Arg. N.
pain in ears with a tickling sensation as of a worm in
ear—Acon.
pain in right ear—Kali I.
pain in temporal bone < night—Kali I.
Teeth—Pains in night from—Mang.
Pain in ears, face and—Plant.
to ears—Stitching pain from—Nat. M.
Violent pain in ear involving—Mez.
Temperature—Bones of ear sensitive to change of—
Nit. Ac.
Temporal region—Sharp boring pain in—Mur. ac.
Temporary loss of hearing—Sudden—Gels.
Tenacious muco-purulent discharge—Hyd., Kali Bi.
thick yellow discharge, fetid, from ears—Kali Bi.
Tender to pressure—Left ear—Eryn. Aq.
Tenderness of mastoid—Caps.
Tension, throbbing and heat on ear—Fer. Ph.
Tetters—Humid on ears with swelling of cervical
glands—Kreos.
on lobe and behind ear—Sep.
on and around ears—Cist. C.
Thick yellow tenacious fetid discharge from ears—Kali
Bi.
Throat to ear—Deafness with pain from—Gels.
Pain in ear with sore—Lach.
Throbbing—above ears—Glon.
and beating in ears—Nat. Mur., Nit. Ac.
and roaring in ears—Colocy.

- Throbbing and fullness in ears—Can. Ind.
 and piercing from within out—Glon.
 and whizzing in ears—Hep. S.
 in ear, day and night—Tell.
 in ear—Amyl. Nit.
 tension and heat in ears—Fer. Ph.
 violent in left ear—Baryt. C.
- Thunder—reports in right ear like distant—Plat.
- Thundering and rushing in ears—Lach.
 and rolling before ears—Graph.
- Ticking in ears as of a watch—China
- Tickling and itching in left ear—Anagal.
 in right eustachian tube—Calc. C.
 itching and crawling in ears—Ambr.
 sensation in ear as if a worm alive in ear—Acon.
- Tingling in ears—Murac.
 in ears as if frost-bitten—Agar. Colch.
 and humming on moving head and body—Puls.
- Tinnitus (See noise in ear)
 from catarrh of inner ears—Fer. Ph., Hyd.
 of a roaring character—Am. M.
 with discharge and deafness—Bor.
 with injection of vessels—China
- Touch—External ear painful to—Mang.
- Tonsils—Deafness in children with adenoid and enlarged—Baryt. M.
 Deafness from induration and swelling of—Nit. Ac.
 Deafness with swelling of—Staph.
 Suppurating ear, with suppurating—Baryt. C.
- Toothache—Chronic otalgia with—Sep.
- Train or carriage—Deafness > riding in—Nat. Ac.
- Tumors and boils behind ears—Coni.
- Twitching, rattling, fluttering in tympanic cavity—Agar
- Valve—Sounds in ear like a—Agar

- Vertigo auditory—Crotal., Sal. Ac.
 and buzzing in ears—Arg. M.
 and headache with noises in ear—Pic. Ac.
 and nausea—Sal. Ac.
 and ringing in ears—Onos.
 and singing in ears—Sang., Stan.
 with Ménière's disease—Arn.
 Vibrate in ear—Sounds—Merc. S.
 Vicarious menstruation from ears—Bry.
 Voice—Deafness for human—Fl. ac., Phos., Sil.
 Illusion of hearing—Anac., Cham.
 Own voice resounds in ears—Phos.
 Oversensitive to human—Sulph.
 resounds like a bell through brain—Spig.
 Voices—Sensation in ear like confused—Benz. Ac.

 Walking fast—cracking in ears when—Baryt. C.
 in open air—Sensation like confused voices when—
 Benz. Ac.
 Warm applications > Ear symptoms—Hep. S.
 Warm room—Deafness > in—Puls.
 room or bed < Pain in ears—Nux V.
 room—Deafness < in—Kali S.
 Warmth—Pain in ear > by external—Hep. S., Lach.
 Washed—Objects ears being—Sulp.
 Washing—Deafness < by—Sil.
 Watch—Ticking in ear as of a—China
 Water—Deafness from working in—Calc. C.
 Discharge from ear of thin—Sep.
 Feeling as if water were in ears—Pet.
 Hearing water running makes nervous—Lys.
 over a dam—Roaring, rumbling like—Bry
 Noise before ears like boiling—Dig., Lyc.
 Noise in ear like rushing—Coccul., Pet.
 Pains < by cold—Bufo.

112 HOMEOPATHIC THERAPEUTICS

- Water—Roaring in ears as from rushing—Cham.
- Sounds of rushing wind or—Puls.
- Swashing in ears as from—Sulph.
- Watery ichorous discharge from ear without pain—Sil.
- Wax (See Cerumen) Accumulation of—Coni.
- Deficient or badly smelling—Carb. V., Caust.
- Excessive secretion of—Agar, Cof., Heps.
- Feeling as if ear was full of—Am. M.
- Increase secretion of thin—Sil.
- Itching of ear with increase of—Cycl.
- Offensive—Caust.
- Promotes secretion of—Carb. V.
- Want of—Lach.
- Weather—Cold or rainy < deafness—Mang.
- Ear symptoms < in damp—Dulc.
- Bones of ear sensitive to change of—Nit. Ac.
- Pain drawing and shooting in ear < after change of—Sil.
- Stitches in ear < by damp—Nat. S.
- Wheel—Whirring and humming in ears at night like spinning—Agar
- Whistling—and roaring in ears from riding in cold—Ars. I.
- and roaring in ears in afternoons—Ambr.
- roaring and humming in ears—Alum
- Whizzing and ringing in ears—Led.
- and throbbing in ear with deafness—Hep. S.
- in ears dull in evening—Zinc
- in ears—Kali C., Lach., Lyc., Mur. Ac., Pet.
- in right ear—Mag. C.
- noises in ear—Mang.
- Wind blew in ear—Sensation as if—Staph.
- Ear sensitive to—Caust., Lach.
- Pain in ears from riding in cold—Ars.
- Pain in ear before—Nux M.

RECEIVED